British Journal of Dermatology 2003; **148:** 1295–1313.

Index

Authors

AAMIR, S., AMAN, S. & HAROON, T.S. Mycetoma caused by *Scytalidium dimidiatum*, 174
ABDEL-KADER, L. *see* NIETO, A.
ABELS, C. *see* REISBERGER, E-M.
ABENI, D. *see* SAMPOGNA, F.
ABRAMOVITS, W., STEVENSON, L., PRENDERGAST, M.M. & TONG, K. Prevalence of hypertension among patients with atopic dermatitis, 380
ABRAMOWITZ, L. *see* DESCAMPS, V.
AÇIL, Y. *see* DUNSCHE, A.
ADACHI, J. *see* YOTSUMOTO, S.
AH-WENG, A., HOWATSON, S.R., GOODLAD, J.R., PATEL, M.C. & GUPTA, G. Erythrodermic syringotropic cutaneous T-cell lymphoma, 349
AKAHASHI, A. *see* MOTEGI, S.
AKAMATSU, H. *see* YOTSUMOTO, S.
AKITA, Y. *see* NAKASEKO, H.
AKIYAMA, H., HAMADA, T., HUH, W-K., YAMASAKI, O., OONO, T., FUJIMOTO, W. & IWATSUKI, K. Confocal laser scanning microscopic observation of glycocalyx production by *Staphylococcus aureus* in skin lesions of bullous impetigo, atopic dermatitis and pemphigus foliaceus, 526
AKIYAMA, H. *see* OONO, T.
AKIYAMA, M., TAKIZAWA, Y., SUZUKI, Y. & SHIMIZU, H. A novel homozygous mutation 371delA in *TGM1* leads to a classic lamellar ichthyosis phenotype, 149
AKIYAMA, M. *see* ARITA, K.
ALBARES, M.P., BETLLOCH, I., GUIJARRO, J., VERGARA, G., PASCUAL, J.C. & BOTELLA, R. Severe pruritus in a haemodialysed patient: dramatic improvement with granisetron, 376
ALEXANDROFF, A. *see* LOO, W.J.
AL-GURAIRI, F. *see* SHARQUIE, K.E.
ALISON, M. *see* EL-BAHRAWY, M.
ALLEN, J., PHAN, T.T., HUGHES, M.A., CHERRY, G.W. & WOJNAROWSKA, F. The cellular origins of the linear IgA disease target antigens: an indirect immunofluorescence study using cultured human keratinocytes and fibroblasts, 945
AL-WAIZ, M. *see* SHARQUIE, K.E.
AMAN, S. *see* AAMIR, S.
AMANO, S. *see* DAINICHI, T.
AMATO, L., MORETTI, S. & FABBRI, P. Reactive multiple keratoacanthoma in a patient with chronic renal insufficiency: reply from authors, 1271
AMATO, L. *see* FABBRI, P.
ANDERSSON-ENGELS, S. *see* PÅLSSON, S.
ANDREASSI, L., GIANNETTI, A., MILANI, M. & ON BEHALF OF THE SCALE INVESTIGATORS GROUP Efficacy of betamethasone valerate mousse in comparison with standard therapies on scalp psoriasis: an open, multicentre, randomized, controlled, cross-over study on 241 patients, 134
ANGELONI, G. *see* MIRACCO, C.
ANGLADE, M-C. *see* COSNES, A.
ANHALT, G.J. *see* MIMOUNI, D.
ANSTEY, A.V. *see* NEWTON BISHOP, J.A.
ANTONIOU, C. *see* PAPADAVID, E.
ANTONSDOTTIR, A. *see* GUDJONSSON, J.E.
ARAGANE, Y., OKAMOTO, T., YAJIMA, A., ISOGAI, R., KAWADA, A. & TEZUKA, T. Hydroxyurea-induced foot ulcer successfully treated with a topical basic fibroblast growth factor product, 599
ARAGANE, Y. *see* MAEDA, A.
ARAKAWA, S. *see* HATANO, Y.
ARCHER, C.B. *see* GOMPELS, M.M.
ARGENZIANO, G. *see* PAGNANELLI, G.
ARIIZUMI, K. *see* BONKOBARA, M.
ARIIZUMI, K. *see* TAKAO, J.
ARITA, K., AKIYAMA, M., TSUJI, Y., IWAO, F., KODAMA, K. & SHIMIZU, H. Squamous cell carcinoma in a patient with non-bullous congenital ichthyosiform erythroderma, 367
ARLETT, C. *see* RAFFERTY, T.S.
ARMSTRONG, N.C. *see* PITTLER, M.H.
ARNOLD, B. *see* DEGITZ, K.
ASADULLAH, K. *see* DÖCKE, W-D.
ASAHINA, A. *see* SAEKI, H.
ASANO, N. *see* SAEKI, H.
ATHANIKAR, S.B. *see* INAMADAR, A.C.
AUGER, F.A. *see* HUDON, V.
AUTIO, P. *see* NUUTINEN, P.
AVGERINOU, G. *see* PAPADAVID, E.
AYMARD, G. *see* MAHÉ, A.
AZURDIA, R.M. *see* DOBSON, C.M.

BÄCK, O. *see* JOHANSSON, C.
BAGOT, M. *see* NIKOLOVA, M.
BAGOT, M. *see* POSZEPCZYNSKA-GUIGNE, E.
BAKER, B.S., OVIGNE, J-M., POWLES, A.V., CORCORAN, S. & FRY, L. Normal keratinocytes express Toll-like receptors (TLRs) 1, 2 and 5: modulation of TLR expression in chronic plaque psoriasis, 670
BALAVOINE, M. *see* DEREURE, O.
BANSALI, A. *see* SARASWAT, A.
BAQUERA, J. *see* KISZEWSKI, A.E.C.
BARBATI, R. *see* PAGNANELLI, G.
BARBAUD, A. *see* FAYS, S.
BARLOW, R.J. Controversies and conversations in cutaneous laser surgery, 191
BARLOW, R.J. *see* NEWTON BISHOP, J.A.
BARNES, L. *see* DE JONG, E.M.G.J.

© 2003 British Association of Dermatologists

BARONI, A., PAOLETTI, I., SILVESTRI, I., BUOMMINO, E. & CARRIERO, M.V. Early vitronectin receptor downregulation in a melanoma cell line during all-*trans* retinoic acid-induced apoptosis, 424
BARRÉ, P. *see* BOSSET, S.
BARROIS, A.J. *see* LITJENS, N.H.R.
BARTON, R.C. *see* YAZDANPARAST, A.
BARTOSIK, J. *see* JOHANSSON, C.
BASEKIM, C. *see* DOGAN, B.
BASSETTI, F. *see* CANNISTRACI, C.
BECERRIL, E. *see* KISZEWSKI, A.E.C.
BECKER, G. *see* LEVERKUS, M.
BECKETT, G.J. *see* RAFFERTY, T.S.
BECKMANN, M.W. *see* REIFENBERGER, J.
BENDSOE, N. *see* PÅLSSON, S.
BENSUSSAN, A. *see* NIKOLOVA, M.
BERGMAN, R. *see* INDELMAN, M.
DE BERKER, D. Hold on the amputation, 1077
BERNARD, P. *see* PERCEAU, G.
BERNARDO, O. *see* SHUM, D.T.
BERNSTEIN, B.D. *see* MIMOUNI, D.
BERTH-JONES, J. *see* PERRETT, C.M.
BERTHOD, F. *see* HUDON, V.
BERTHOU, C. *see* KARAM, A.
BERTI, S. *see* FABBRI, P.
BETLLOCH, I. *see* ALBARES, M.P.
BETTOLI, V. *see* ROSS, J.I.
BHOGAL, B.S. *see* OYAMA, N.
BIANCHI, B. *see* FABBRI, P.
BIANCHI, L. *see* PAGNANELLI, G.
BICHAKJIAN, C. *see* KONTOS, A.P.
BIGAIGNON, G. *see* GHISLAIN, P-D.
BLACK, A.F. *see* HUDON, V.
BLACK, M.M. *see* OYAMA, N.
BLOMME, E.A.G., CHINN, K.S., HARDY, M.M., CASLER, J.J., KIM, S.H., OPSAHL, A.C., HALL, W.A., TRAJKOVIC, D., KHAN, K.N. & TRIPP, C.S. Selective cyclooxygenase-2 inhibition does not affect the healing of cutaneous full-thickness incisional wounds in SKH-1 mice, 211
BOEHNCKE, W-H., LUDWIG, R.J., ZOLLNER, T.M., OCHSENDORF, F., KAUFMANN, R. & GIBBS, B.F. The selective cyclooxygenase-2 inhibitor rofecoxib may improve the treatment of chronic idiopathic urticaria, 604
BOFFA, M.J. Erosive pustular dermatosis of the scalp successfully treated with calcipotriol cream, 593
BÖHM, M., LUGER, T.A. & TRAUPE, H. Successful treatment of inflammatory linear verrucous epidermal naevus with topical natural vitamin D_3 (calcitriol), 824
BONAFÉ, J-L. *see* MAZEREEUW-HAUTIER, J.
BONKOBARA, M., DAS, A., TAKAO, J., CRUZ, P.D. & ARIIZUMI, K. Identification of novel genes for secreted and membrane-anchored proteins in human keratinocytes, 654
BONKOBARA, M. *see* TAKAO, J.
BONNET-DUQUENNOY, M. *see* BOSSET, S.
BONTÉ, F. *see* BOSSET, S.
BORRADORI, L. *see* VECCHIETTI, G.
BOS, J.D. *see* MEKKES, J.R.
BOSSET, S., BONNET-DUQUENNOY, M., BARRÉ, P., CHALON, A., LAZOU, K., KURFURST, R., BONTÉ, F., SCHNÉBERT, S., DISANT, F., LE VARLET, B. & NICOLAS, J.F. Decreased expression of keratinocyte β1 integrins in chronically sun-exposed skin *in vivo*, 770
BOTELLA, R. *see* ALBARES, M.P.
BOUMSELL, L. *see* NIKOLOVA, M.
BOYLE, J. *see* ROBERTS, D.T.
BRANDRUP, F. *see* OSADA, M.
BRASCH, J. *see* DUNSCHE, A.
BRAZA, T.J., DICARLO, J.B., SOON, S.L. & McCALL, C.O. Tacrolimus 0.1% ointment for seborrhoeic dermatitis: an open-label pilot study, 1242
BRITTON, J.E.R., WILKINSON, S.M., ENGLISH, J.S.C., GAWKRODGER, D.J., ORMEROD, A.D., SANSOM, J.E., SHAW, S. & STATHAM, B. The British standard series of contact dermatitis allergens: validation in clinical practice and value for clinical governance, 259
BRÖCKER, E-B. *see* HOFMANN, U.B.
BRÖCKER, E-B. *see* LEVERKUS, M.
BRÖCKER, E-B. *see* SCHMIDT, E.
BROERS, J.L.V. *see* TILLI, C.M.L.J.
BROWN, A.P. *see* CHAMBERS, L.
BRUNASSO, G. *see* CARLI, P.
BRUNNHOFER, K. *see* MAIER, H.
BUOMMINO, E. *see* BARONI, A.
BUQUICCHIO, R. *see* VENTURA, M.T.
BURG, G., KEMPF, W., KAZAKOV, D.V., DUMMER, R., FROSCH, P.J., LANGE-IONESCU, S., NISHIKAWA, T. & KADIN, M.E. Pyogenic lymphoma of the skin: a peculiar variant of primary cutaneous neutrophil-rich CD30+ anaplastic large-cell lymphoma. Clinicopathological study of four cases and review of the literature, 580
BURKHART, C.G. *see* BURKHART, C.N.
BURKHART, C.N. & BURKHART, C.G. Antibiotic-resistant *Propionibacteria acnes* may not be the major issue clinically or microbiologically in acne, 365
BURROWS, N.P. *see* LOO, W.J.

CÁMARA, R. *see* VARGAS-DÍEZ, E.
CALOGIURI, G.F. *see* VENTURA, M.T.
CALONJE, E. *see* CHILD, F.J.
CAMACHO, F. *see* NIETO, A.
CAMERON, H. *see* DAWE, R.S.
CAMP, R.D.R. Updates from the Third International Congress on Psoriasis: From Gene to Clinic. The Royal College of Physicians, London, U.K., 21–23 November 2002, 878
CAMPIONE, E. *see* PAGNANELLI, G.
CANDA, E. *see* PABUÇÇUOĞLU, U.
CANDA, M.Ş. *see* PABUÇÇUOĞLU, U.
CANNISTRACI, C., PAROLA, I.L.L.A., RIGANÒ, R., BASSETTI, F., ORTONA, E., SANTUCCI, B., PICARDO, M. & SIRACUSANO, S. Acute generalized exanthematous pustulosis in cystic echinococcosis: immunological characterization, 1245
CAPRONI, M. *see* FABBRI, P.

CARBONI, I. *see* PAGNANELLI, G.
CARIO-ANDRE, M. *see* GAUTHIER, Y.
CARLI, P., DE GIORGI, V. & GIANNOTTI, B. Why digital follow-up of dermoscopically equivocal pigmented lesions should be discouraged. 1272
CARLI, P., QUERCIOLI, E., SESTINI, S., STANTE, M., RICCI, L., BRUNASSO, G. & DE GIORGI, V. Pattern analysis, not simplified algorithms, is the most reliable method for teaching dermoscopy for melanoma diagnosis to residents in dermatology. 981
CARMICHAEL, A.J. *see* MURPHY, M.
CARNEGIE, E. *see* ROSS, J.I.
CARRIERO, M.V. *see* BARONI, A.
CARRINGTON, P. *see* OYAMA, N.
CARROZZO, A.M. *see* PAGNANELLI, G.
CASLER, J.J. *see* BLOMME, E.A.G.
CASSELL, O. *see* MIDDLETON, M.
CECCHI, R., PAOLI, S., GIOMI, A. & ROSSETTI, R. Favus due to *Trichophyton schoenleinii* in a patient with metastatic bronchial carcinoma. 1057
CERIMELE, D. *see* COTTONI, F.
CERIO, R. *see* DURRANI, A.J.
CHAKRABARTI, A., PRAIS, L. & FOULDS, I.S. Allergic contact dermatitis to broccoli. 172
CHALMERS, R.J.G. *see* WALKER, S.L.
CHALON, A. *see* BOSSET, S.
CHAMBERS, C.A. Topical tacrolimus for cutaneous lupus erythematosus. 829
CHAMBERS, L., WOODROW, S., BROWN, A.P., HARRIS, P.D., PHILLIPS, D., HALL, M., CHURCH, J.C.T. & PRITCHARD, D.I. Degradation of extracellular matrix components by defined proteinases from the greenbottle larva *Lucilia sericata* used for the clinical debridement of non-healing wounds. 14
CHAN, S.Y. *see* PHAN, T.T.
CHAN, Y-C. & YOSIPOVITCH, G. Erythroderma: an unusual presentation of pulmonary tuberculosis. 346
CHANG, G-Y. *see* WU, C-H.
CHANG, T-W. *see* CHEN, G-Y.
CHANG, W-C. *see* WU, C-H.
CHANG, Y.T., TSAI, S.F., LEE, D.D., SHIAO, Y.M., HUANG, C.Y., LIU, H.N., WANG, W.J. & WONG, C.K. A study of candidate genes for psoriasis near HLA-C in Chinese patients with psoriasis. 418
CHAO, S-C., TSAI, Y-M., YANG, M-H. & LEE, J.Y-Y. A novel mutation in the keratin 4 gene causing white sponge naevus. 1125
CHAPMAN, R. *see* SALIM, A.
CHARALABOPOULOS, A. *see* CHARALABOPOULOS, K.
CHARALABOPOULOS, K., PAPALIMNEOU, V., CHARALABOPOULOS, A. & HATZIS, J. Two new adverse effects of isotretinoin. 593
CHARLTON, A. *see* HORSLEY, L.
CHAVE, T.A. & GRAHAM-BROWN, R.A.C. Keratoacanthoma developing in hypertrophic lichen planus. 592
CHAVE, T.A., MORTIMER, N.J. & HUTCHINSON, P.E. Agranulocytosis and total scalp alopecia following acitretin. 1063
CHAVE, T.A. *see* OSBORNE, J.E.
CHAWLA, M. *see* LOO, W.J.
CHEN, G-Y., CHANG, T-W. & CHEN, W-C. Exudative hyponychial dermatitis associated with capecitabine and docetaxel combination chemotherapy for metastatic breast carcinoma: report of three cases. 1071
CHEN, R-S. *see* WU, C-H.
CHEN, W-C. *see* CHEN, G-Y.
CHEN, X. *see* YOTSUMOTO, S.
CHERRY, G.W. *see* ALLEN, J.
CHIA, K.S. *see* KOH, D.
CHILD, F.C. *see* FULLER, L.C.
CHILD, F.J., MITCHELL, T.J., WHITTAKER, S.J., CALONJE, E., SPITTLE, M., CROCKER, J. & RUSSELL-JONES, R. Blastic natural killer cell and extranodal natural killer cell-like T-cell lymphoma presenting in the skin: report of six cases from the U.K., 507
CHILD, F.J. *see* HOQUE, S.R.
CHIMENTI, M.S. *see* PAGNANELLI, G.
CHIMENTI, S. *see* PAGNANELLI, G.
CHIN, M. *see* OCHIAI, T.
CHINN, K.S. *see* BLOMME, E.A.G.
CHO, S-H. *see* LIM, J-H.
CHOI, T.S., DOH, K.S., KIM, S.H., JANG, M.S., SUH, K.S. & KIM, S.T. Clinicopathological and genotypic aspects of anticonvulsant-induced pseudolymphoma syndrome. 730
CHOSIDOW, O., DROUAULT, Y., GARRAFFO, R., VEYSSIER, P. & FOR THE VALACICLOVIR HERPES FACIALIS STUDY GROUP Valaciclovir as a single dose during prodrome of herpes facialis: a pilot randomized double-blind clinical trial. 142
CHOSIDOW, O. *see* DRENO, B.
CHOW, J. *see* HILL, V.A.
CHOWDHURY, M.M.U. & STATHAM, B.N. Natural rubber latex allergy in a health-care population in Wales. 737
CHRISTIAENS, F. *see* SEITÉ, S.
CHRISTIANSEN, J. *see* JOHANSSON, C.
CHRISTOPHERS, E. *see* DUNSCHE, A.
CHURCH, J.C.T. *see* CHAMBERS, L.
CLARK, S.M. *see* STRAUSS, R.M.
CLAVEL, C. *see* PERCEAU, G.
CLOT, J. *see* DEREURE, O.
COATES, P. *see* RAVENSCROFT, J.C.
COATES, P. *see* ROSS, J.I.
COATES, T., EADY, A. & COVE, J. Propionibacterial biofilms cannot explain antibiotic resistance but might contribute to some cases of antibiotic recalcitrant acne. 366
COLLIER, P.M. *see* PITTLER, M.H.
COMPAN, D. *see* SEITÉ, S.
CONCHA, M., VIDAL, M.A., MORENO, I., SALEM, C., FIGUEROA, C.D., SCHMITT, D. & PÉGUET-NAVARRO, J. Evidence for modulation of human epidermal differentiation and remodelling by CD40. 1105
CONDE, M. *see* NIETO, A.
CONRAD, N. *see* HSU, S.
CORBEAU, P. *see* DEREURE, O.
CORCORAN, S. *see* BAKER, B.S.

CORRIE, P.G. *see* NEWTON BISHOP, J.A.
CORRY, D. *see* ZEINA, B.
COSNES, A., ANGLADE, M-C., REVUZ, J. & RADIER, C. Thirteen-megahertz ultrasound probe: its role in diagnosing localized scleroderma, 724
COTTONI, F., MASALA, M.V., PIRAS, P., MONTESU, M.A. & CERIMELE, D. Mucosal involvement in classic Kaposi's sarcoma, 1273
COVE, J. *see* COATES, T.
COVE, J.H. *see* RAVENSCROFT, J.C.
COVE, J.H. *see* ROSS, J.I.
COWLEY, N. *see* HILL, V.A.
COX, A. *see* PITTLER, M.H.
COX, N.H. & PATERSON, W.D. Why do I have psoriasis?, 169
COX, N.H. & WILLIAMS, H.C. The British Association of Dermatologists therapeutic guidelines: can we AGREE?, 621
COX, N.H. ON BEHALF OF THE BRITISH ASSOCIATION OF DERMATOLOGISTS *see* NEWTON BISHOP, J.A.
COX, N.H. Size matters? Yes, but the terminology doesn't, 1278
CRÉTEL, E. *see* REY, J.
CRICKX, B. *see* DESCAMPS, V.
CROCKER, J. *see* CHILD, F.J.
CRUZ JR, P.D. *see* TAKAO, J.
CRUZ, P.D. *see* BONKOBARA, M.
CUNLIFFE, W.J. *see* ROSS, J.I.
CUNY, J.F. *see* FAYS, S.
CZERNIELEWSKI, J. *see* ORTONNE, J.P.

D'APRILE, C. *see* NETTIS, E.
DAGNELLO, M. *see* VENTURA, M.T.
DAINICHI, T., UEDA, S., ISODA, M., KOGA, T., KINUKAWA, N., NOSE, Y., ISHII, K., AMANO, S., HORII, I. & FURUE, M. Chemical peeling with salicylic acid in polyethylene glycol vehicle suppresses skin tumour development in hairless mice, 906
DAMOUR, O. *see* HUDON, V.
DANGOU, J.M. *see* MAHÉ, A.
DAS, A. *see* BONKOBARA, M.
DAS, A. *see* TAKAO, J.
DAVENPORT, A. *see* HUBBARD, V.
DAVIES, C.E. *see* STEPHENS, P.
DAVIES, S.V. *see* GOMPELS, M.M.
DAWBER, R. *see* SALIM, A.
DAWE, R.S., CAMERON, H., YULE, S., MAN, I., WAINWRIGHT, N.J., IBBOTSON, S.H. & FERGUSON, J. A randomized controlled trial of narrowband ultraviolet B vs. bath-psoralen plus ultraviolet A photochemotherapy for psoriasis, 1194
DAWE, R.S. Ultraviolet A1 phototherapy, 626
DAWN, G. & HOLMES, S.C. An audit of the use of self-administered adrenaline syringes in the east end of Glasgow, 176
DAWN, G., LONEY, M., ZAMIRI, M., SHAFFRALI, F., URCELAY, M., PATEL, M., HOWATSON, S.R. & DOUGLAS, W.S. Erosive pustular dermatosis of the leg associated with compression bandaging and fungal infection, 489
DE DOBBELEER, G. *see* SIMONART, T.
DE FELICE, C. *see* MAELLARO, E.
DE GIORGI, V. *see* CARLI, P.
DE JONG, E.M.G.J., MØRK, N.J., SEIJGER, M.M.B., DE LA BRASSINE, M., LAUHARANTA, J., JANSEN, C.T., GUILHOU, J.J., GUILLOT, B., OSTROJIC, A., SOUTEYRAND, P., VAILLANT, L., BARNES, L., ROGERS, S., KLABER, M.R. & VAN DE KERKHOF, P.C.M. The combination of calcipotriol and methotrexate compared with methotrexate and vehicle in psoriasis: results of a multicentre placebo-controlled randomized trial, 318
DE LA BRASSINE, M. *see* DE JONG, E.M.G.J.
DE PITÀ, O. *see* FABBRI, P.
DE SIMONI, I. *see* PAGNANELLI, G.
DEGITZ, K., PLACZEK, M., ARNOLD, B., SCHMIDT, H. & PLEWIG, G. Congenital adrenal hyperplasia and acne in male patients, 1263
DEL BELLO, B. *see* MAELLARO, E.
DEL MAR SÁEZ DE OCARIZ GUTIÉRREZ, M. *see* RUIZ-MALDONADO, R.
DELFAU-LARUE, M-H. *see* POSZEPCZYNSKA-GUIGNE, E.
DELMÉE, M. *see* GHISLAIN, P-D.
DEMITSU, T. *see* KAKURAI, M.
DEMITSU, T. *see* UMEMOTO, N.
DERANCOURT, C. *see* PERCEAU, G.
DEREURE, O., GUILHOU, J-J. & GUILLOT, B. An unusual clinical pattern of cutaneous metastasis: target-like lesions, 361
DEREURE, O., PORTALES, P., BALAVOINE, M., CORBEAU, P., GUILLOT, B., CLOT, J. & GUILHOU, J-J. Rare occurrence of CD30+ circulating cells in patients with cutaneous CD30+ anaplastic large cell lymphoma: a study of nine patients, 246
DERRICK, E.K. *see* FELTON, J.
DESCAMPS, V., MAHE, E., HOUHOU, N., ABRAMOWITZ, L., ROZENBERG, F., RANGER-ROGEZ, S. & CRICKX, B. Drug-induced hypersensitivity syndrome associated with Epstein–Barr virus infection, 1032
DESHMUKH, N.S. *see* INAMADAR, A.C.
DHARMA, B. *see* PERRETT, C.M.
DI CORATO, R. *see* VENTURA, M.T.
DIAZ-CANO, S.J. *see* DURRANI, A.J.
DIBA, V. *see* LOO, W.J.
DIBA, V.C., HOLME, S.A., SAVAGE, R. & MILLS, C.M. Bilateral nail dystrophy associated with vibrating tool use, 173
DICARLO, J.B. *see* BRAZA, T.J.
DISANT, F. *see* BOSSET, S.
DOBSON, C.M. & KING, C.M. Adult staphylococcal scalded skin syndrome: histological pitfalls and new diagnostic perspectives, 1068
DOBSON, C.M., AZURDIA, R.M. & KING, C.M. Hold on the amputation: reply from authors, 1078
DÖCKE, W-D., KIESSLING, C., WORM, M., FRIEDRICH, M., PRUSS, A., WEITZ, M., PRÖSCH, S., KERN, F., VOLK, H-D., STERRY, W. & ASADULLAH, K. Subclinical activation of latent cytomegalovirus (CMV) infection and anti-CMV immune response in patients with atopic dermatitis, 954

DOGAN, B., TASKAPAN, O., HARMANYERI, Y., GÜNGÖR, A. & BASEKIM, C. A case of port-wine stain associated with ipsilateral pneumosinus dilatans, 1287
DOGRA, S. & KANWAR, A.J. Clopidogrel bisulphate-induced photosensitive lichenoid eruption: first report, 609
DOGRA, S. *see* PARSAD, D.
DOGRA, S. *see* SARASWAT, A.
DOH, K.S. *see* CHOI, T.S.
DOLAN, O.M. *see* MCLOONE, N.M.
DOMANSKI, D. *see* REEVE, V.E.
DONG, J. *see* KAGESHITA, T.
DORTA-ALOM, S. *see* SÁEZ-RODRíGUEZ, M.
DOUGLAS, W.S. *see* DAWN, G.
DOVER, R. *see* RUSHTON, D.H.
DOWD, P. *see* TYMPANIDIS, P.
DOZIER, C. *see* VECCHIETTI, G.
DRENO, B., CHOSIDOW, O., REVUZ, J., MOYSE, D. & THE STUDY INVESTIGATOR GROUP. Lithium gluconate 8% vs. ketoconazole 2% in the treatment of seborrhoeic dermatitis: a multicentre, randomized study, 1230
DROUAULT, Y. *see* CHOSIDOW, O.
DUBERTRET, L. *see* ORTONNE, J.P.
DUBERTRET, L. *see* PAUL, C.
DUMMER, R. *see* BURG, G.
DUNSCHE, A., FRANK, M.P., LÜTTGES, J., AÇIL, Y., BRASCH, J., CHRISTOPHERS, E. & SPRINGER, I.N.G. Lichenoid reactions of murine mucosa associated with amalgam, 741
DUNSCHE, A., KÄSTEL, I., TERHEYDEN, H., SPRINGER, I.N.G., CHRISTOPHERS, E. & BRASCH, J. Oral lichenoid reactions associated with amalgam: improvement after amalgam removal, 70
DURAND, J.M. *see* REY, J.
DURANI, B.K., KLEIN, A., HENZE, M., HABERKORN, U. & HARTSCHUH, W. Somatostatin analogue scintigraphy in Merkel cell tumours, 1135
DURÁN-MCKINSTER, C. *see* RUIZ-MALDONADO, R.
DURLACH, A. *see* PERCEAU, G.
DURRANI, A.J., MOIR, G.C., DIAZ-CANO, S.J. & CERIO, R. Malignant melanoma in an 8-year-old Caribbean girl: diagnostic criteria and utility of sentinel lymph node biopsy, 569
DUSMEZ, D. *see* KAYA, T.I.
DYKES, P.J. *see* HOLME, S.A.

EADY, A. *see* COATES, T.
EADY, E.A. *see* RAVENSCROFT, J.C.
EADY, E.A. *see* ROSS, J.I.
ECHCHAKIR, H. *see* NIKOLOVA, M.
ECONOMIDOU, J. *see* PAPADAVID, E.
EFFENDY, I. *see* FRIEBE, K.
EGAN, C.A. *see* LIM, D.S.
EGGERT, A.A.O. *see* HOFMANN, U.B.
EHARA, T. *see* KOGANEHIRA, Y.
EL-BAHRAWY, M., EL-MASRY, N., ALISON, M., POULSOM, R. & FALLOWFIELD, M. Expression of β-catenin in basal cell carcinoma, 964
ELLINGHAUS, B. *see* LIPPERT, U.
ELLIS, C.N. *see* KRUEGER, G.G.
EL-MASRY, N. *see* EL-BAHRAWY, M.
ELSNER, P. *see* SANDER, C.S.
ENDO, H., KATSUMI, A., KURODA, K., UTANI, A., MORIYA, H. & SHINKAI, H. Increased procollagen α1(I) mRNA expression by dermal fibroblasts in melorheostosis, 799
ENDO, H., UTANI, A., MATSUMOTO, F., KUROKI, T., YOSHIMOTO, S., ICHINOSE, M. & SHINKAI, H. A possible paracrine hedgehog signalling pathway in neurofibromas from patients with neurofibromatosis type 1, 337
ENDO, H. *see* MATSUSHIMA, H.
ENDO, Y. *see* MOTEGI, S.
ENGERT, A. *see* HERRMANN, G.
ENGLISH, J.S.C. *see* BRITTON, J.E.R.
ERNST, E. *see* PITTLER, M.H.
ESCODA-GARCíA, M. *see* SÁEZ-RODRíGUEZ, M.
EVANS, E.G.V. *see* YAZDANPARAST, A.
EVANS, J. *see* NEWTON BISHOP, J.A.
EVEILLARD, J-R. *see* KARAM, A.
EZUGHAH, F. *see* NARAYAN, S.

FABBRI, P., CAPRONI, M., BERTI, S., BIANCHI, B., AMATO, L., DE PITÀ, O. & FREZZOLINI, A. The role of T lymphocytes and cytokines in the pathogenesis of pemphigoid gestationis, 1141
FABBRI, P. *see* AMATO, L.
FAERGEMANN, J. *see* JOHANSSON, C.
FAGUNDO-GONZÁLEZ, E. *see* SÁEZ-RODRÍGUEZ, M.
FALCOMATÀ, V. *see* PAGNANELLI, G.
FALLOWFIELD, M. *see* EL-BAHRAWY, M.
FARCET, J-P. *see* POSZEPCZYNSKA-GUIGNE, E.
FAYS, S., TRÉCHOT, P., SCHMUTZ, J.L., CUNY, J.F., TRUCHETET, F. & BARBAUD, A. Bupropion and generalized acute urticaria: eight cases, 177
FAZIO, M.C. *see* MAZZEO, L.
FEDELE, R. *see* MAZZEO, L.
FELTON, J., DERRICK, E.K. & PRICE, M.L. Successful combined surgical and octreotide treatment of severe pretibial myxoedema reviewed after 9 years, 825
FENG, Y-G., XIAO, S-X., REN, X-R., WANG, W-Q., LIU, A. & PAN, M. Keratin 17 mutation in pachyonychia congenita type 2 with early onset sebaceous cysts, 452
FERGUSON, A.D. & WILLIAMS, H.C. What matters is simplicity and standardization: reply from authors, 1279
FERGUSON, J. *see* DAWE, R.S.
FERLAZZO, E. *see* MAZZEO, L.
FERNÁNDEZ-HERRERA, J. *see* VARGAS-DÍEZ, E.
FERNANDO, J.J.R. *see* FORSYTH, S.F.
FERRANNINI, A. *see* NETTIS, E.
FERREIRA, S. *see* HOQUE, S.R.
FIERLBECH, G. *see* SCHANZ, S.
FIGUEROA, C.D. *see* CONCHA, M.
FINLAY, A.Y. *see* HOLME, S.A.
FINLAY, A.Y. *see* LOO, W.J.
FINLAY, A.Y. *see* VARMA, S.
FINLAY-JONES, J.J. *see* GRIMBALDESTON, M.A.
FINN, P. *see* MURPHY, M.

FLETCHER, A. *see* SALDANHA, G.
FLETCHER, C.L., HAY, R.J. & SMEETON, N.C. Observer agreement in recording the clinical signs of nail disease and the accuracy of a clinical diagnosis of fungal and non-fungal nail disease, 558
FLOHR, C. Dirt, worms and atopic dermatitis, 871
FOGAWA, Y. Collagenoma in Downsyndrome, 596
FOGLIANI, O. *see* MAZZEO, L.
FOR THE VALACICLOVIR HERPES FACIALIS STUDY GROUP *see* CHOSIDOW, O.
FORSYTH, S.F., LAWN, S.D., MILLER, R.F., FERNANDO, J.J.R., LOCKWOOD, D.N.J. & VEGA-LOPEZ, F. Multiple dermatofibroma-like lesions in a human immunodeficiency virus-positive patient coinfected with visceral leishmaniasis, 185
FOTI, C. *see* VENTURA, M.T.
FOULDS, I.S. *see* CHAKRABARTI, A.
FOURTANIER, A. *see* SEITÉ, S.
FRANCESCONI, F. *see* PAGNANELLI, G.
FRANK, M.P. *see* DUNSCHE, A.
FREZZOLINI, A. *see* FABBRI, P.
FRIEBE, K., EFFENDY, I. & LÖFFLER, H. Effects of skin occlusion in patch testing with sodium lauryl sulphate, 65
FRIEDMANN, P.S. *see* MORGAN, C.J.
FRIEDRICH, M. *see* DÖCKE, W-D.
FROSCH, P.J. *see* BURG, G.
FRY, L. *see* BAKER, B.S.
FUCHS, T. *see* LIPPERT, U.
FUJIMOTO, N., TAJIMA, S. & ISHIBASHI, A. Facial lichen striatus: successful treatment with tacrolimus ointment, 587
FUJIMOTO, W. *see* AKIYAMA, H.
FUJIWARA, S. *see* HATANO, Y.
FUKAI, K. *see* KATO, A.
FULLER, L.C., CHILD, F.C., MIDGLEY, G. & HIGGINS, E.M. Scalp ringworm in south-east London and an analysis of a cohort of patients from a paediatric dermatology department, 985
FUNASAKA, Y. *see* KAGESHITA, T.
FURUE, M., TERAO, H., RIKIHISA, W., URABE, K., KINUKAWA, N., NOSE, Y. & KOGA, T. Clinical dose and adverse effects of topical steroids in daily management of atopic dermatitis, 128
FURUE, M. *see* DAINICHI, T.
FURUKAWA, F. *see* OHTANI, T.

GALVAN PERÉZ DEL PULGAR, J.I. *see* ROSS, J.I.
GAMEI, M. *see* WESTERHOF, W.
GARCÍA-DÍEZ, A. *see* VARGAS-DÍEZ, E.
GARCÍA-BUSTÍNDUY, M. *see* SÁEZ-RODRÍGUEZ, M.
GARCÍA-MONTELONGO, R. *see* SÁEZ-RODRÍGUEZ, M.
GARCOVICH, A., GARCOVICH, S. & MASSI, G. An unusual variant of granulomatous adnexotropic cutaneous T-cell lymphoma, 363
GARCOVICH, S. *see* GARCOVICH, A.
GARRAFFO, R. *see* CHOSIDOW, O.
GAUTHIER, Y., CARIO-ANDRE, M., LEPREUX, S., PAIN, C. & TAÏEB, A. Melanocyte detachment after skin friction in non lesional skin of patients with generalized vitiligo, 95
GAVIN, A.T. *see* MCLOONE, N.M.
GAWKRODGER, D.J. *see* BRITTON, J.E.R.
GAWKRODGER, D.J. Metal sensitivities and orthopaedic implants revisited: the potential for metal allergy with the new metal-on-metal joint prostheses, 1089
GEE, B.C. *see* MORRIS, A.D.
GERMAIN, L. *see* HUDON, V.
GERSTENHAUER, M. *see* SCHIFFNER, R.
GHISLAIN, P-D., WOESTYN, S., TENNSTEDT, D., LACHAPELLE, J-M., BIGAIGNON, G. & DELMÉE, M. *Borrelia afzelii* evidenced by polymerase chain reaction in a biopsy of nipple lymphocytoma, 377
GIANNETTI, A. *see* ANDREASSI, L.
GIANNOTTI, B. *see* CARLI, P.
GIBBS, B.F. *see* BOEHNCKE, W-H.
GIBBS, S. Zinc sulphate for viral warts, 1082
GINEBRI, A. *see* PAGNANELLI, G.
GIOMI, A. *see* CECCHI, R.
DE GIORGI, V. *see* CARLI, P.
GNIADECKA, M. *see* OSADA, M.
GNIADECKI, R. & ROSSEN, K. Expression of T-cell activation marker CD134 (OX40) in lymphomatoid papulosis, 885
GOEBELER, M. *see* HOFMANN, U.B.
GOEBELER, M. *see* SCHMIDT, E.
GOH, C.L. *see* KOH, D.
GOMPELS, M.M., LOCK, R.J., UNSWORTH, D.J., JOHNSTON, S.L., ARCHER, C.B. & DAVIES, S.V. Misdiagnosis of hereditary angio-oedema type 1 and type 2, 719
GOODLAD, J.R. *see* AH-WENG, A.
GORE, M.E. *see* NEWTON BISHOP, J.A.
GRAHAM-BROWN, R.A.C. *see* CHAVE, T.A.
GRATIAN, M.J. *see* OYAMA, N.
GREEN, M.H.L. *see* RAFFERTY, T.S.
GREENMAN, J. *see* ZEINA, B.
GRIMBALDESTON, M.A., SIMPSON, A., FINLAY-JONES, J.J. & HART, P.H. The effect of ultraviolet radiation exposure on the prevalence of mast cells in human skin, 300
GUDJONSSON, J.E., KARASON, A., ANTONSDOTTIR, A., RUNARSDOTTIR, E.H., HAUKSSON, V.B., UPMANYU, R., GULCHER, J., STEFANSSON, K. & VALDIMARSSON, H. Psoriasis patients who are homozygous for the HLA-Cw*0602 allele have a 2·5-fold increased risk of developing psoriasis compared with Cw6 heterozygotes, 233
GUDJONSSON, J.E. *see* SIGMUNDSDOTTIR, H.
GUENICHE, A. *see* SEITÉ, S.
GUIJARRO, J. *see* ALBARES, M.P.
GUILHOU, J.J. *see* DE JONG, E.M.G.J.
GUILHOU, J-J. *see* DEREURE, O.
GUILLOT, B. *see* DE JONG, E.M.G.J.
GUILLOT, B. *see* DEREURE, O.
GUIMERÁ-MARTÍN-NEDA, F. *see* SÁEZ-RODRÍGUEZ, M.
GULCHER, J. *see* GUDJONSSON, J.E.
GÜNGÖR, A. *see* DOGAN, B.

GUPTA, G. *see* AH-WENG, A.
GÜRAY, M. *see* PABUÇÇUOĞLU, U.
GUSTAFSSON, L. *see* PÅLSSON, S.
GUTGESELL, C. *see* REICH, K.

HAAS, N. *see* HERMES, B.
HABERKORN, U. *see* DURANI, B.K.
HAGARI, Y., YAMADA, N. & MIHARA, M. Pigmented wart showing fibrillar intracytoplasmic inclusion bodies, 187
HAGMAN, J. *see* PAGNANELLI, G.
HALL, M. *see* CHAMBERS, L.
HALL, P.N. *see* NEWTON BISHOP, J.A.
HALL, W.A. *see* BLOMME, E.A.G.
HALLIER, E. *see* REICH, K.
HAMADA, T. *see* AKIYAMA, H.
HAMM, F. *see* SANDER, C.S.
HAMM, H. *see* LEVERKUS, M.
HAPPLE, R. *see* TORRELO, A.
HARADA, S. *see* KAWASHIMA, M.
HARDING, K.G. *see* STEPHENS, P.
HARDY, M.M. *see* BLOMME, E.A.G.
HARII, K. *see* OKAZAKI, M.
HARMANYERI, Y. *see* DOGAN, B.
HAROON, T.S. *see* AAMIR, S.
HARRIS, A.L. *see* MIDDLETON, M.
HARRIS, P.D. *see* CHAMBERS, L.
HART, A. *see* PITTLER, M.H.
HART, P.H. *see* GRIMBALDESTON, M.A.
HARTSCHUH, W. *see* DURANI, B.K.
HARVIMA, I. *see* NUUTINEN, J.
HASEGAWA, A. *see* SASAKI, T.
HASHIGUCHI, T. *see* YOTSUMOTO, S.
HASHIMOTO, T. *see* UMEMOTO, N.
HATANO, Y., KATAGIRI, K., ARAKAWA, S., UMEKI, T., TAKAYASU, S. & FUJIWARA, S. Successful treatment by double-filtration plasmapheresis of a patient with bullous pemphigoid: effects *in vivo* on transcripts of several genes for chemokines and cytokines in peripheral blood mononuclear cells, 573
HATTORI, H. Merkel cell carcinoma composed of small, intermediate and squamous cell foci showing mutually exclusive expression of neuroendocrine markers and cytokeratin 20, 183
HATTORI, H. Nodular sclerotic change in dermatofibrosarcoma protuberans: a potential diagnostic problem, 357
HATZIS, J. *see* CHARALABOPOULOS, K.
HAUKSSON, V.B. *see* GUDJONSSON, J.E.
HAY, R.J. *see* FLETCHER, C.L.
HAYAKAWA, R. *see* KATO, Y.
HELG, C. *see* VECCHIETTI, G.
HENZ, B.M. *see* HERMES, B.
HENZE, M. *see* DURANI, B.K.
HERD, R.M. *see* RAMRAKHA-JONES, V.S.
HERMES, B., ZUBERBIER, T., HAAS, N. & HENZ, B.M. Decreased cutaneous expression of stem cell factor and of the p75NGF receptor in urticaria, 411
HERNÁNDEZ PANDO, R. *see* KISZEWSKI, A.E.C.
HERRMANN, G., ENGERT, A. & HUNZELMANN, N. Treatment of pemphigus vulgaris with anti-CD20 monoclonal antibody (rituximab), 602
HERZOG, S. *see* SCHMIDT, E.
HIGGINS, E.M. *see* FULLER, L.C.
HILL, A.N. *see* HSU, S.
HILL, C.M. *see* STEPHENS, P.
HILL, K.E. *see* STEPHENS, P.
HILL, V.A., CHOW, J., COWLEY, N. & MARSDEN, R.A. Subacute lupus erythematosus-like eruption due to terbinafine: report of three cases, 1056
HINO, H. *see* KAKINUMA, T.
HINRICHS, R., SCHNEIDER, L.A., ÖZDEMIR, C., STAIB, G. & SCHARFFETTER-KOCHANEK, K. Azathioprine hypersensitivity in a patient with peripheral demyelinating polyneuropathy, 1076
HINSON, J.P. *see* MÜLLER, F.B.
HIROI, A. *see* OHTANI, T.
HOASHI, T. *see* SAEKI, H.
HÖDL, S. *see* ZALAUDEK, I.
HOFMANN, U.B., EGGERT, A.A.O., BRÖCKER, E-B. & GOEBELER, M. Calcitriol vs. dithranol in combination with narrow-band ultraviolet B (311 nm) in psoriasis, 779
HOFSTÄDTER, F. *see* SCHIFFNER, R.
HOLDEN, C.A. *see* PEARSON, I.C.
HOLLOWOOD, K. *see* MIDDLETON, M.
HOLME, S.A., MAN, I., SHARPE, J.L., DYKES, P.J., LEWIS-JONES, M.S. & FINLAY, A.Y. The Children's Dermatology Life Quality Index: validation of the cartoon version, 285
HOLME, S.A. *see* DIBA, V.C.
HOLMES, S.C. *see* DAWN, G.
HÖNIGSMANN, H. *see* MAIER, H.
HOQUE, S.R., CHILD, F.J., WHITTAKER, S.J., FERREIRA, S., ORCHARD, G., JENNER, K., SPITTLE, M. & RUSSELL-JONES, R. Subcutaneous panniculitis-like T-cell lymphoma: a clinicopathological, immunophenotypic and molecular analysis of six patients, 516
HORII, I. *see* DAINICHI, T.
HORIO, O. *see* HORIO, T.
HORIO, T., HORIO, O., MIYAUCHI-HASHIMOTO, H., OHNUKI, M. & ISEI, T. Photodynamic therapy of sebaceous hyperplasia with topical 5-aminolaevulinic acid and slide projector, 1274
HORN, M. *see* ZALAUDEK, I.
HOROBIN, A.J., SHAKESHEFF, K.M., WOODROW, S., ROBINSON, C. & PRITCHARD, D.I. Maggots and wound healing: an investigation of the effects of secretions from *Lucilia sericata* larvae upon interactions between human dermal fibroblasts and extracellular matrix components, 923
HORSLEY, L., CHARLTON, A. & WATERMAN, C. Reducing skin cancer mortality by 2010: lessons from children's sunburn, 607
HOSOMI, N. *see* KATO, A.
HOUHOU, N. *see* DESCAMPS, V.
HOWATSON, S.R. *see* AH-WENG, A.
HOWATSON, S.R. *see* DAWN, G.

HSIAO, C-H. *see* TJIU, J-W.
HSIEH, S.D. *see* MUTO, T.
HSU, C-T. *see* WU, C-H.
HSU, S., HILL, A.N., CONRAD, N., WOOD, A.C. & REED, J.A. Reactive multiple keratoacanthoma in a patient with chronic renal insufficiency, 1270
HUANG, C.Y. *see* CHANG, Y.T.
HUBBARD, V., DAVENPORT, A., JARMULOWICZ, M. & RUSTIN, M. Scleromyxoedema-like changes in four renal dialysis patients, 563
HUDON, V., BERTHOD, F., BLACK, A.F., DAMOUR, O., GERMAIN, L. & AUGER, F.A. A tissue-engineered endothelialized dermis to study the modulation of angiogenic and angiostatic molecules on capillary-like tube formation *in vitro*, 1094
HUGHES, J. *see* JOLLES, S.
HUGHES, M.A. *see* ALLEN, J.
HÜGLI, A. *see* VECCHIETTI, G.
HUH, W-K. *see* AKIYAMA, H.
HUH, W-K. *see* OONO, T.
HUMBERT, P. *see* ORTONNE, J.P.
HUNTER, J.A.A. *see* RAFFERTY, T.S.
HUNZELMANN, N. *see* HERRMANN, G.
HUTCHINSON, P.E. *see* CHAVE, T.A.
HUTCHINSON, P.E. *see* OSBORNE, J.E.
HUTCHISON, C.J. *see* TILLI, C.M.L.J.
HUYNH, H. *see* PHAN, T.T.

IANOTTO, J-C. *see* KARAM, A.
IBBOTSON, S.H. *see* DAWE, R.S.
ICHIHASHI, M. *see* KAGESHITA, T.
ICHIHASHI, M. *see* UEDA, M.
ICHINOSE, M. *see* ENDO, H.
IDE, F., MISHIMA, K. & SAITO, I. Adenolipoma of the lip, 606
IDEZUKI, T. *see* SAEKI, H.
IITOYO, M. *see* NISHIE, W.
IKIZOGLU, G. *see* KAYA, T.I.
IMOKAWA, G. *see* OKAZAKI, M.
INAGI, M. *see* KAWASHIMA, M.
INAMADAR, A.C., PALIT, A., ATHANIKAR, S.B., SAMPAGAVI, V.V. & DESHMUKH, N.S. Periocular ecthyma gangrenosum in a diabetic patient, 821
INDELMAN, M., BERGMAN, R., LESTRINGANT, G.G., PEER, G. & SPRECHER, E. Compound heterozygosity for mutations in the hairless gene causes atrichia with papular lesions, 553
INNOCENZI, D. *see* RONGIOLETTI, F.
IRVINE, A.D. & MCLEAN, W.H.I. The molecular genetics of the genodermatoses: progress to date and future directions, 1
ISEI, T. *see* HORIO, T.
ISHIBASHI, A. *see* FUJIMOTO, N.
ISHIHARA, T. *see* KAGESHITA, T.
ISHII, K. *see* DAINICHI, T.
ISHII, M. *see* KATO, A.
ISHIKAWA, O. *see* MOTEGI, S.
ISODA, M. *see* DAINICHI, T.
ISOGAI, R. *see* ARAGANE, Y.
ISOLA, S. *see* MAZZEO, L.
ITO, K. *see* OCHIAI, T.
IWAO, F. *see* ARITA, K.
IWAO, F. *see* KAWASAKI, H.
IWATSUKI, K. *see* AKIYAMA, H.
IWATSUKI, K. *see* OONO, T.
IWATSUKI, K. *see* TOJO, M.

JACKSON, C.J. *see* YAZDANPARAST, A.
JANG, M.S. *see* CHOI, T.S.
JANIN, A. *see* ORTONNE, J.P.
JANSEN, C.T. *see* DE JONG, E.M.G.J.
JARMULOWICZ, M. *see* HUBBARD, V.
JEAN, R. *see* REY, J.
JENNER, K. *see* HOQUE, S.R.
JOANNIDES, T. *see* LANIGAN, S.W.
JOHANSSON, C., SANDSTRÖM, M.H., BARTOSIK, J., SÄRNHULT, T., CHRISTIANSEN, J., ZARGARI, A., BÄCK, O., WAHLGREN, C.F., FAERGEMANN, J., SCHEYNIUS, A. & TENGVALL LINDER, M. Atopy patch test reactions to *Malassezia* allergens differentiate subgroups of atopic dermatitis patients, 479
JOHNSTON, S.L. *see* GOMPELS, M.M.
JOLLES, S. & HUGHES, J. Importance of trial design in studies using high-dose intravenous immunoglobulin, 1284
JONES, A. *see* SIDWELL, R.U.
JUNGHANS, V. *see* LIPPERT, U.

KADIN, M.E. *see* BURG, G.
KAGESHITA, T., ISHIHARA, T., TOKUO, H., FUNASAKA, Y., ICHIHASHI, M., DONG, J., NAKAJIMA, M. & ONO, T. Widespread expression of parathyroid hormone-related peptide in melanocytic cells, 533
KÄHKÖNEN, M. *see* KARENKO, L.
KAKINUMA, T., WAKUGAWA, M., NAKAMURA, K., HINO, H., MATSUSHIMA, K. & TAMAKI, K. High level of thymus and activation-regulated chemokine in blister fluid and sera of patients with bullous pemphigoid, 203
KAKURAI, M., DEMITSU, T., UMEMOTO, N., OHTSUKI, M. & NAKAGAWA, H. Activation of mast cells by silver particles in a patient with localized argyria due to implantation of acupuncture needles, 822
KAKURAI, M. *see* UMEMOTO, N.
KAKUTA, M. *see* MATSUSHIMA, H.
KAMAKURA, S. *see* KATOU, F.
KANEKO, F. *see* TOJO, M.
KANEKURA, T., YOSHII, N., TERASAKI, K., MIYOSHI, H. & KANZAKI, T. Efficacy of topical tacrolimus for treating the malar rash of systemic lupus erythematosus, 353
KANO, R. *see* SASAKI, T.
KANWAR, A.J. *see* DOGRA, S.
KANWAR, A.J. *see* PARSAD, D.
KANZAKI, T. *see* KANEKURA, T.
KANZAKI, T. *see* YOTSUMOTO, S.
KAPAS, S. *see* MÜLLER, F.B.
KAPSIMALI, V. *see* PAPADAVID, E.

KARAM, A., IANOTTO, J-C., METGES, J-P., EVEILLARD, J-R., LEROY, J-P., LE FLOHIC, A-M. & BERTHOU, C. Ulceration of the penis due to *Absidia corymbifera*, 1286
KARASON, A. *see* GUDJONSSON, J.E.
KARENKO, L., SARNA, S., KÄHKÖNEN, M. & RANKI, A. Chromosomal abnormalities in relation to clinical disease in patients with cutaneous T-cell lymphoma: a 5-year follow-up study, 55
KARVINEN, S., KOSMA, V-M., TAMMI, M.I. & TAMMI, R. Hyaluronan, CD44 and versican in epidermal keratinocyte tumours, 86
KASHIMA, M. *see* KIMURA, S.
KÄSTEL, I. *see* DUNSCHE, A.
KATAGIRI, K. *see* HATANO, Y.
KATO, A., FUKAI, K., OISO, N., HOSOMI, N., MURAKAMI, T. & ISHII, M. Association of *SPINK5* gene polymorphisms with atopic dermatitis in the Japanese population, 665
KATO, G. *see* MOTEGI, S.
KATO, Y., HAYAKAWA, R., SHIRAKI, R. & OZEKI, K. A case of lichen planus caused by mercury allergy, 1268
KATOU, F., SHIRAI, N., KAMAKURA, S., TAGAMI, H., NAGURA, H. & MOTEGI, K. Differential expression of cornified cell envelope precursors in normal skin, intraorally transplanted skin and normal oral mucosa, 898
KATSAMBAS, A. *see* PAPADAVID, E.
KATSAMBAS, A. *see* ROSS, J.I.
KATSUMI, A. *see* ENDO, H.
KAUFMANN, R. *see* BOEHNCKE, W.-H.
KAUN, C. *see* SCHINDL, A.
KAUR, C. & THAMI, G.P. Flutamide-induced photosensitivity: is it a forme fruste of lupus?, 603
KAUR, S. *see* THAMI, G.P.
KAWA, Y. *see* KIMURA, S.
KAWABATA, Y. *see* SAEKI, H.
KAWADA, A. *see* ARAGANE, Y.
KAWADA, A. *see* MAEDA, A.
KAWASAKI, H., SAWAMURA, D., IWAO, F., KIKUCHI, T., NAKAMURA, H., OKUBO, S., MATSUMURA, T. & SHIMIZU, H. Squamous cell carcinoma developing in a 12-year-old boy with nonHallopeau–Siemens recessive dystrophic epidermolysis bullosa, 1047
KAWASHIMA, M., TANGO, T., NOGUCHI, T., INAGI, M., NAKAGAWA, H. & HARADA, S. Addition of fexofenadine to atopical corticosteroid reduces the pruritus associated with atopic dermatitis in a 1-week randomized, multicentre, double-blind, placebo-controlled, parallel-group study, 1212
KAYA, T.I., TURSEN, U., KOKTURK, A., IKIZOGLU, G. & DUSMEZ, D. The early erosive vesicular stage of lipoid proteinosis: clinical and histopathological features, 380
KAZAKOV, D.V. *see* BURG, G.
KEFİ, A. *see* PABUÇÇUOĞLU, U.
KEMPF, W. *see* BURG, G.
KENNEDY, C.T.C. *see* NARAYAN, S.
KERL, H. *see* ZALAUDEK, I.
KERL, K. *see* VECCHIETTI, G.
KERN, F. *see* DÖCKE, W-D.
KHAN, K.N. *see* BLOMME, E.A.G.
KIESSLING, C. *see* DÖCKE, W-D.
KIKUCHI, K., WATANABE, M., TERUI, T., OHTANI, N., OHTANI, H. & TAGAMI, H. Nail-destroying epithelioid haemangioendothelioma showing an erythematous scar-like appearance on the finger, 834
KIKUCHI, K. *see* SAEKI, H.
KIKUCHI, T. *see* KAWASAKI, H.
KIM, C-W. *see* LIM, J-H.
KIM, H-O. *see* LIM, J-H.
KIM, S.H. *see* BLOMME, E.A.G.
KIM, S.H. *see* CHOI, T.S.
KIM, S.T. *see* CHOI, T.S.
KIMURA, S., KASHIMA, M., KAWA, Y., NAKAMURA, F., NAWA, Y., TAKAI, K. & MIZOGUCHI, M. A case of subcutaneous sparganosis: therapeutic assessment by an indirect immunofluorescence antibody titration using sections of the worm body obtained from the patient, 369
KING, C.M. *see* DOBSON, C.M.
KINUKAWA, N. *see* DAINICHI, T.
KINUKAWA, N. *see* FURUE, M.
KIRBY, B. *see* WALKER, S.L.
KIRKHAM, N. *see* NEWTON BISHOP, J.A.
KISZEWSKI, A.E.C., BECERRIL, E., BAQUERA, J., RUIZ-MALDONADO, R. & HERNÁNDEZ PANDO, R. Expression of cyclooxygenase type 2 in lepromatous and tuberculoid leprosy lesions, 795
KITANO, Y. *see* OKAZAKI, M.
KIYOSAWA, H. *see* TOJO, M.
KJÆRSGÅRD HANSEN, L. *see* OSADA, M.
KLABER, M.R. *see* DE JONG, E.M.G.J.
KLEIN, A. *see* DURANI, B.K.
KLINKER, E. *see* SCHMIDT, E.
KLUWE, L. *see* LEVERKUS, M.
KNOP, J. *see* WEBER, A.
KOBAYASHI, M. *see* NAKASEKO, H.
KODAMA, K. *see* ARITA, K.
KOGA, T. *see* DAINICHI, T.
KOGA, T. *see* FURUE, M.
KOGANEHIRA, Y., TAKEOKA, M., EHARA, T., SASAKI, K., MURATA, H., SAIDA, T. & TANIGUCHI, S. Reduced expression of actin-binding proteins, h-caldesmon and calponin h1, in the vascular smooth muscle inside melanoma lesions: an adverse prognostic factor for malignant melanoma, 971
KOH, D., WANG, H., LEE, J., CHIA, K.S., LEE, H.P. & GOH, C.L. Basal cell carcinoma, squamous cell carcinoma and melanoma of the skin: analysis of the Singapore Cancer Registry data 1968–97, 1161
KOKTURK, A. *see* KAYA, T.I.
KOLDE, G., WESENDAHL, C., STEIN, H. & REICHART, P.A. Oral lichen planus: diagnostic immunofluorescence testing on routine histological material, 374
KOLDE, G. *see* WORM, M.
KOMAI, A. *see* UMEMOTO, N.
KÖNIG, I.R. *see* REICH, K.

KONTOS, A.P., OZOG, D., BICHAKJIAN, C. & LIM, H.W. Congenital erythropoietic porphyria associated with myelodysplasia presenting in a 72-year-old man: report of a case and review of the literature, 160
KORGE, B.P. *see* MÜLLER, F.B.
KOSHIYAMA, T. *see* NISHIE, W.
KOSMA, V-M. *see* KARVINEN, S.
KOUBA, D.J., MIMOUNI, D., RENCIC, A. & NOUSARI, H.C. Mycophenolate mofetil may serve as a steroid-sparing agent for sarcoidosis, 147
KOUBA, D.J. *see* MIMOUNI, D.
KOUMANTAKI, E. *see* SARIDAKI, Z.
KRUEGER, G.G. & ELLIS, C.N. Alefacept therapy produces remission for patients with chronic plaque psoriasis, 784
KRUNIC, A.L., MEDENICA, M.M., LAUMANN, A.E. & SHAW, J.C. Cryoglobulinaemic vasculitis, cryofibrinogenaemia and low-grade B-cell lymphoma, 1079
KUMAR, B. *see* PARSAD, D.
KUMAR, B. *see* SARASWAT, A.
KURFURST, R. *see* BOSSET, S.
KURODA, K. *see* ENDO, H.
KUROKAWA, I., NISHIJIMA, S., KUSUMOTO, K., SENSAKI, H., SHIKATA, N. & TSUBURA, A. Trichofolliculoma: case report with immunohistochemical study of cytokeratins, 597
KUROKI, T. *see* ENDO, H.
KURWA, H. *see* MIDDLETON, M.
KUSAMA, T. *see* NISHIE, W.
KUSUMOTO, K. *see* KUROKAWA, I.

LACHAPELLE, J-M. *see* GHISLAIN, P-D.
LAHFA, M. *see* ORTONNE, J.P.
LAHTINEN, M-R. *see* NUUTINEN, J.
LAHTINEN, T. *see* NUUTINEN, J.
LANDTHALER, M. *see* REISBERGER, E-M.
LANDTHALER, M. *see* SCHIFFNER, R.
LANGE-IONESCU, S. *see* BURG, G.
LANIGAN, S.W. & JOANNIDES, T. Pulsed dye laser treatment of telangiectasia after radiotherapy for carcinoma of the breast, 77
LANIGAN, S.W. Straight hair associated with interferon alfa plus ribavirin in hepatitis C infection, 595
LA PAROLA, I.L. *see* CANNISTRACI, C.
LARCHER, C. *see* OBERMOSER, G.
LARDENNOIS, B. *see* PERCEAU, G.
LAUHARANTA, J. *see* DE JONG, E.M.G.J.
LAUMANN, A.E. *see* KRUNIC, A.L.
LAWN, S.D. *see* FORSYTH, S.F.
LAYTON, A.M. *see* RAVENSCROFT, J.C.
LAZOU, K. *see* BOSSET, S.
LE FLOHIC, A-M. *see* KARAM, A.
LE VARLET, B. *see* BOSSET, S.
LEE, D.D. *see* CHANG, Y.T.
LEE, H.P. *see* KOH, D.
LEE, J. *see* KOH, D.
LEE, J.Y-Y. *see* CHAO, S-C.
LEE, S.T. *see* PHAN, T.T.
LEMAN, J.A. & MAC KIE, R.M. Late (> 10 years) recurrence of melanoma: the Scottish experience, 372
LEMAN, J.A. *see* SALIM, A.
LEPREUX, S. *see* GAUTHIER, Y.
LEROY, J-P. *see* KARAM, A.
LESTRINGANT, G.G. *see* INDELMAN, M.
LEVERKUS, M., KLUWE, L., RÖLL, E-M., BECKER, G., BRÖCKER, E-B., MAUTNER, V.F. & HAMM, H. Multiple unilateral schwannomas: segmental neurofibromatosis type 2 or schwannomatosis?, 804
LEWIS-JONES, M.S. *see* HOLME, S.A.
LILOGLOU, T. *see* SARIDAKI, Z.
LIM, D.S., MURPHY, G.M. & EGAN, C.A. Mycosis fungoides presenting as annular erythema, 591
LIM, H.W. *see* KONTOS, A.P.
LIM, J-H., CHO, S-H., KIM, H-O., KIM, C-W. & PARK, Y-M. Mucinous naevus with atypical features, 1064
LIMAS, K. *see* PAPADAVID, E.
LIPPERT, U., MARTIN, V., SCHWERTFEGER, C., JUNGHANS, V., ELLINGHAUS, B. & FUCHS, T. Shiitake dermatitis, 178
LITJENS, N.H.R., NIBBERING, P.H., BARROIS, A.J., ZOMERDIJK, T.P.L., VAN DEN OUDENRIJN, A.C., NOZ, K.C., RADEMAKER, M., VAN DE MEIDE, P.H., VAN DISSEL, J.T. & THIO, B. Beneficial effects of fumarate therapy in psoriasis vulgaris patients coincide with downregulation of type 1 cytokines, 444
LIU, A. *see* FENG, Y-G.
LIU, H.N. *see* CHANG, Y.T.
LO, P.Y. & TZUNG, T.Y. Phakomatosis pigmentovascularis type IIb with a patent umbilical vein and inferior vena cava hypoplasia, 836
LOCK, R.J. *see* GOMPELS, M.M.
LOCKWOOD, D.N.J. *see* FORSYTH, S.F.
LÖFFLER, H. *see* FRIEBE, K.
LONEY, M. *see* DAWN, G.
LOO, W.J., ALEXANDROFF, A. & BURROWS, N.P. Irritant dermatitis due to prolonged contact with Oilatum Plus®, 171
LOO, W.J., DIBA, V., CHAWLA, M. & FINLAY, A.Y. Dermatology Life Quality Index: influence of an illustrated version, 279
LOOTS, M.A.M. *see* MEKKES, J.R.
LÓPEZ-ALBA, A. *see* SÁEZ-RODRÍGUEZ, M.
LOWE, J.E. *see* RAFFERTY, T.S.
LOWE, N.J. Arterial embolization caused by injection of hyaluronic acid (Restylane), 379
LOWE, N.J. Cosmetic Dermatology Principles and Practice, 1086
LUDWIG, R.J. *see* BOEHNCKE, W-H.
LUGER, T.A. *see* BÖHM, M.
LUI, H. *see* SHUM, D.T.
LÜTTGES, J. *see* DUNSCHE, A.
LUZI, P. *see* MAELLARO, E.
LY, F. *see* MAHÉ, A.

Mac KIE, R.M. *see* LEMAN, J.A.
McCALL, C.O. *see* BRAZA, T.J.

McCOLL, J.H. *see* SALIM, A.
McKENZIE, R.C. *see* RAFFERTY, T.S.
McLAUGHLIN, J.E. *see* SIDWELL, R.U.
McLEAN, W.H.I. *see* IRVINE, A.D.
McLOONE, N.M., MIDDLETON, R.J., GAVIN, A.T., WALSH, M. & DOLAN, O.M. Audit of basal cell carcinoma: registration practice, 371
MAEDA, A., ARAGANE, Y., UENO, K., YAMAZAKI, F., KAWADA, A. & TEZUKA, T. A case of naevus lipomatosus cutaneus superficialis of the scalp associated with pedunculated basal cell carcinoma, 1084
MAELLARO, E., PACENTI, L., DEL BELLO, B., VALENTINI, M.A., MANGIAVACCHI, P., DE FELICE, C., RUBEGNI, P., LUZI, P. & MIRACCO, C. Different effects of interferon-α on melanoma cell lines: a study on telomerase reverse transcriptase, telomerase activity and apoptosis, 1115
MAHÉ, A., LY, F., AYMARD, G. & DANGOU, J.M. Skin diseases associated with the cosmetic use of bleaching products in women from Dakar, Senegal, 493
MAHE, E. *see* DESCAMPS, V.
MAIER, H., SCHAUBERGER, G., BRUNNHOFER, K. & HÖNIGSMANN, H. Assessment of thickness of photoprotective lipsticks and frequency of reapplication: results from a laboratory test and a field experiment, 763
MAKINODAN, R. *see* UEDA, M.
MAN, I. *see* DAWE, R.S.
MAN, I. *see* HOLME, S.A.
MANGIAVACCHI, P. *see* MAELLARO, E.
MANSOURI TALEGHONI, B. *see* SCHMIDT, E.
MANTZANA, V. *see* PAPADAVID, E.
MARIN, A. *see* VARGAS-DÍEZ, E.
MARKS, R. Comparison of melanocytic naevi with photographs, a recommended method, 365
MARSDEN, R.A. *see* HILL, V.A.
MARTIN, V. *see* LIPPERT, U.
MARTÍN-HERRERA, A. *see* SÁEZ-RODRÍGUEZ, M.
MARTINKA, M. *see* SHUM, D.T.
MARULLI, G.C. *see* PAGNANELLI, G.
MASALA, M.V. *see* COTTONI, F.
MASCARO, J.M. *see* VILALTA, A.
MASOUYÉ, I. *see* VECCHIETTI, G.
MASSI, G. *see* GARCOVICH, A.
MATINO, M.G. *see* VENTURA, M.T.
MATSUI, C. *see* MATSUSHIMA, H.
MATSUMOTO, F. *see* ENDO, H.
MATSUMOTO, Y. *see* NAKASEKO, H.
MATSUMURA, M. *see* UEDA, M.
MATSUMURA, T. *see* KAWASAKI, H.
MATSUNAGA, K. *see* YOTSUMOTO, S.
MATSUSHIMA, H., UTANI, A., ENDO, H., MATSUURA, H., KAKUTA, M., NAKAMURA, Y., MATSUYOSHI, N., MATSUI, C., NAKANISHI, H., TAKAI, Y. & SHINKAI, H. The expression of nectin-1α in normal human skin and various skin tumours, 755
MATSUSHIMA, K. *see* KAKINUMA, T.
MATSUURA, H. *see* MATSUSHIMA, H.
MATSUYOSHI, N. *see* MATSUSHIMA, H.
MAURER, M. *see* WEBER, A.
MAUTNER, V.F. *see* LEVERKUS, M.
MAZEREEUW-HAUTIER, J., THIBAUT, I. & BONAFÉ, J-L. Pyogenic granuloma within unilateral dermatomal superficial telangiectasia, 823
MAZZEO, L., RICCIARDI, L., FAZIO, M.C., FOGLIANI, O., FEDELE, R., FERLAZZO, E. & ISOLA, S. Severe urticaria due to recombinant interferon beta-1a, 172
MEDENICA, M.M. *see* KRUNIC, A.L.
MEFFERT, J.J. *see* OWEN, D.B.
MEGAHED, M. *see* REIFENBERGER, J.
MEKKES, J.R., LOOTS, M.A.M., VAN DER WAL, A.C. & BOS, J.D. Causes, investigation and treatment of leg ulceration, 388
MELCHI, C.F. *see* SAMPOGNA, F.
MERCHANT, W.J. *see* STRAUSS, R.M.
MERWALD, H. *see* SCHINDL, A.
METGES, J-P. *see* KARAM, A.
MIDDLETON, M., HARRIS, A.L., KURWA, H., MILLARD, P., HOLLOWOOD, K. & CASSELL, O. BDS Melanoma Guidelines, 1081
MIDDLETON, R.J. *see* MCLOONE, N.M.
MIDGLEY, G. *see* FULLER, L.C.
MIHARA, M. *see* HAGARI, Y.
MILANI, M. *see* ANDREASSI, L.
MILLARD, P. *see* MIDDLETON, M.
MILLER, R.F. *see* FORSYTH, S.F.
MILLS, C.M. *see* DIBA, V.C.
MIMOUNI, D., ANHALT, G.J., KOUBA, D.J. & NOUSARI, H.C. Infliximab for peristomal pyoderma gangrenosum, 813
MIMOUNI, D., NG, P.P., RENCIC, A., NIKOLSKAIA, O.V., BERNSTEIN, B.D. & NOUSARI, H.C. Cutaneous polyarteritis nodosa in patients presenting with atrophie blanche, 789
MIMOUNI, D. *see* KOUBA, D.J.
MIRACCO, C., ANGELONI, G., MIRACCO, F. & PIRTOLI, L. Carcinoma with eccrine differentiation arising in a seborrhoeic keratosis, 831
MIRACCO, C. *see* MAELLARO, E.
MIRACCO, F. *see* MIRACCO, C.
MISHIMA, K. *see* IDE, F.
MITCHELL, T.J. *see* CHILD, F.J.
MIURA, H. *see* YOTSUMOTO, S.
MIYAUCHI-HASHIMOTO, H. *see* HORIO, T.
MIYOSHI, H. *see* KANEKURA, T.
MIZOGUCHI, M. *see* KIMURA, S.
MOHANRAJ, M. *see* SHAH, M.
MOIR, G.C. *see* DURRANI, A.J.
MONTESU, M.A. *see* COTTONI, F.
MORENO, I. *see* CONCHA, M.
MORENO-ARIAS, G.A. *see* VILALTA, A.
MORETTI, S. *see* AMATO, L.
MORGAN, C.J., RENWICK, A.G. & FRIEDMANN, P.S. The role of stratum corneum and dermal microvascular perfusion in penetration and tissue levels of water-soluble drugs investigated by microdialysis, 434

MORIYA, H. *see* ENDO, H.
MØRK, N.J. *see* De JONG, E.M.G.J.
MORRIS, A.D. & GEE, B.C. The 2-week wait: to BCC or not to BCC?, 608
MORTIMER, N.J. *see* CHAVE, T.A.
MORTON, C.A. *see* SALIM, A.
MÖSSNER, R. *see* REICH, K.
MOTEGI, K. *see* KATOU, F.
MOTEGI, S., TAMURA, A., ENDO, Y., KATO, G., AKAHASHI, A., NEGISHI, I. & ISHIKAWA, O. Malignant proliferating trichilemmal tumour associated with human papillomavirus type 21 in epidermodysplasia verruciformis, 180
MOYAL, D. *see* SEITÉ, S.
MOYSE, D. *see* DRENO, B.
MUGISHIMA, H. *see* OCHIAI, T.
MÜLLER, F.B., MÜLLER-RÖVER, S., KORGE, B.P., KAPAS, S., HINSON, J.P. & PHILPOTT, M.P. Adrenomedullin: expression and possible role in human skin and hair growth, 30
MÜLLER-RÖVER, S. *see* MÜLLER, F.B.
MURAKAMI, T. *see* KATO, A.
MURATA, H. *see* KOGANEHIRA, Y.
MURPHY, G.M. *see* LIM, D.S.
MURPHY, M., REAICH, D., PAI, P., FINN, P. & CARMICHAEL, A.J. A randomized, placebo-controlled, double-blind trial of ondansetron in renal itch, 314
MURTAGH, M.S. *see* RAVENSCROFT, J.C.
MUTO, T., HSIEH, S.D., SAKURAI, Y., YOSHINAGA, H., SUTO, H., OKUMURA, K. & OGAWA, H. Prevalence of atopic dermatitis in Japanese adults, 117

NAGURA, H. *see* KATOU, F.
NAKAGAWA, H. *see* KAKURAI, M.
NAKAGAWA, H. *see* KAWASHIMA, M.
NAKAGAWA, H. *see* UMEMOTO, N.
NAKAJIMA, M. *see* KAGESHITA, T.
NAKAMURA, F. *see* KIMURA, S.
NAKAMURA, H. *see* KAWASAKI, H.
NAKAMURA, K. *see* KAKINUMA, T.
NAKAMURA, K. *see* TOJO, M.
NAKAMURA, S., YOKOZEKI, H. & NISHIOKA, K. Acute pigmentation due to minocycline therapy in atopic dermatitis, 1073
NAKAMURA, Y. *see* MATSUSHIMA, H.
NAKAMURA, Y. *see* SASAKI, T.
NAKANISHI, H. *see* MATSUSHIMA, H.
NAKAO, A. *see* WARNNISSORN, P.
NAKASEKO, H., KOBAYASHI, M., AKITA, Y., TAMADA, Y. & MATSUMOTO, Y. Histological changes and involvement of apoptosis after photodynamic therapy for actinic keratoses, 122
NARAYAN, S., EZUGHAH, F., STANDEN, G.R., PAWADE, J. & KENNEDY, C.T.C. Idiopathic hypereosinophilic syndrome associated with cutaneous infarction and deep venous thrombosis, 817
NARBUTT, J., TORZECKA, J.D., SYSA-JEDRZEJOWSKA, A. & PAS, H.H. Pemphigus foliaceus in an 11-year-old boy with dermatomyositis: simple coincidence or familial immunological background?, 838
NAWA, Y. *see* KIMURA, S.
NEGISHI, I. *see* MOTEGI, S.
NETO, I.F. *see* PAGNANELLI, G.
NETTIS, E., PANNOFINO, A., D'APRILE, C., FERRANNINI, A. & TURSI, A. Clinical and aetiological aspects in urticaria and angio-oedema, 501
NEUMANN, C. *see* REICH, K.
NEUMANN, H.A.M. *see* TILLI, C.M.L.J.
NEWTON BISHOP, J.A., CORRIE, P.G., EVANS, J., GORE, M.E., HALL, P.N., KIRKHAM, N., THE MELANOMA STUDY GROUP, o.b.o., ROBERTS, D.L.L., ANSTEY, A.V., BARLOW, R.J. & COX, N.H. ON BEHALF OF THE BRITISH ASSOCIATION OF DERMATOLOGISTS, BDS Melanoma Guidelines: reply from authors, 1082
NG, P.P. *see* MIMOUNI, D.
NGUYEN, T.T.T. *see* PHAN, T.T.
NIBBERING, P.H. *see* LITJENS, N.H.R.
NICOLAS, J.F. *see* BOSSET, S.
NICOLAS, J.F. *see* ORTONNE, J.P.
NIETO, A., RUIZ-RAMOS, M., ABDEL-KADER, L., CONDE, M. & CAMACHO, F. Gender differences in rising trends in cutaneous malignant melanoma in Spain, 1975–98, 110
NIKOLOVA, M., ECHCHAKIR, H., WECHSLER, J., BOUMSELL, L., BENSUSSAN, A. & BAGOT, M. Isolation of a CD8αα+ CD4– tumour T-cell clone with cytotoxic activity from a CD4+ CD8– cutaneous T-cell lymphoma, 24
NIKOLSKAIA, O.V. *see* MIMOUNI, D.
NISHIE, W., IITOYO, M., KOSHIYAMA, T. & KUSAMA, T. Sarcomatoid carcinoma of the liver with skin and pleural metastases, 1069
NISHIJIMA, S. *see* KUROKAWA, I.
NISHIKAWA, T. *see* BURG, G.
NISHIOKA, K. *see* NAKAMURA, S.
NISHIOKA, K. *see* OI, M.
NODA-CABRERA, A. *see* SÁEZ-RODRÍGUEZ, M.
NOGUCHI, T. *see* KAWASHIMA, M.
NOGUCHI, T. *see* UMEMOTO, N.
NOHIRA, G. *see* TOGAWA, Y.
NORRIS, M.J. *see* RUSHTON, D.H.
NOSE, Y. *see* DAINICHI, T.
NOSE, Y. *see* FURUE, M.
NOUSARI, H.C. *see* KOUBA, D.J.
NOUSARI, H.C. *see* MIMOUNI, D.
NOZ, K.C. *see* LITJENS, N.H.R.
NUUTINEN, J., HARVIMA, I., LAHTINEN, M-R. & LAHTINEN, T. Water loss through the lip, nail, eyelid skin, scalp skin and axillary skin measured with a closed-chamber evaporation principle, 839
NUUTINEN, P., RIEKKI, R., PARIKKA, M., SALO, T., AUTIO, P., RISTELI, J. & OIKARINEN, A. Modulation of collagen synthesis and mRNA by continuous and intermittent use of topical hydrocortisone in human skin, 39

OBERMOSER, G., LARCHER, C., SHELDON, J.A., SEPP, N. & ZELGER, B. Absence of human herpesvirus-8 in glomeruloid haemangiomas associated with POEMS syndrome and Castleman's disease, 1276

OCHIAI, T., ITO, K., OKADA, T., CHIN, M., SHICHINO, H. & MUGISHIMA, H. Significance of extensive Mongolian spots in Hunter's syndrome, 1173
OCHSENDORF, F. *see* BOEHNCKE, W-H.
OGAWA, H. *see* MUTO, T.
OGAWA, H. *see* WARNNISSORN, P.
OHMATSU, H. *see* SAEKI, H.
OHNUKI, M. *see* HORIO, T.
OHTAKE, N. *see* YOTSUMOTO, S.
OHTANI, H. *see* KIKUCHI, K.
OHTANI, N. *see* KIKUCHI, K.
OHTANI, T., HIROI, A., SAKURANE, M. & FURUKAWA, F. Slow acetylator genotypes as a possible risk factor for infectious mononucleosis-like syndrome induced by salazosulfapyridine, 1035
OHTSUKI, M. *see* KAKURAI, M.
OI, M., SATOH, T., YOKOZEKI, H. & NISHIOKA, K. Detection of immediate-type reaction to the epitope of β-lactam antibiotics by the quick patch test, 182
OIKARINEN, A. *see* NUUTINEN, P.
OISO, N. *see* KATO, A.
OKADA, T. *see* OCHIAI, T.
OKAMOTO, T. *see* ARAGANE, Y.
OKAZAKI, M., YOSHIMURA, K., SUZUKI, Y., UCHIDA, G., KITANO, Y., HARII, K. & IMOKAWA, G. The mechanism of epidermal hyperpigmentation in cafÉ-au-lait macules of neurofibromatosis type 1 (von Recklinghausen's disease) may be associated with dermal fibroblast-derived stem cell factor and hepatocyte growth factor, 689
OKUBO, S. *see* KAWASAKI, H.
OKUMURA, K. *see* MUTO, T.
OKUMURA, K. *see* WARNNISSORN, P.
ON BEHALF OF THE SCALE INVESTIGATORS GROUP *see* ANDREASSI, L.
ONO, T. *see* KAGESHITA, T.
OONO, T., HUH, W-K., SHIRAFUJI, Y., AKIYAMA, H. & IWATSUKI, K. Localization of human β-defensin-2 and human neutrophil peptides in superficial folliculitis, 188
OONO, T. *see* AKIYAMA, H.
OPITZ, A. *see* SCHMIDT, E.
OPSAHL, A.C. *see* BLOMME, E.A.G.
ORCHARD, G. *see* HOQUE, S.R.
ORMEROD, A.D. *see* BRITTON, J.E.R.
ORMEROD, A.D. *see* TULLOCH, I.K.
OROZCO-COVARRUBIAS, L. *see* RUIZ-MALDONADO, R.
ORTONA, E. *see* CANNISTRACI, C.
ORTONNE, J.P., HUMBERT, P., NICOLAS, J.F., TSANKOV, N., TONEV, S.D., JANIN, A., CZERNIELEWSKI, J., LAHFA, M. & DUBERTRET, L. Intra-individual comparison of the cutaneous safety and efficacy of calcitriol 3 μg g^{-1} ointment and calcipotriol 50 μg g^{-1} ointment on chronic plaque psoriasis localized in facial, hairline, retroauricular or flexural areas, 326
OSADA, M., GNIADECKA, M., BRANDRUP, F., KJÆRSGÅRD HANSEN, L. & WULF, H.C. Raman spectroscopy analysis of protein structure of hair in patients with trichothiodystrophy, 600
OSBORNE, J.E., CHAVE, T.A. & HUTCHINSON, P.E. Comparison of diagnostic accuracy for cutaneous malignant melanoma between general dermatology, plastic surgery and pigmented lesion clinics, 252
OSTROJIC, A. *see* DE JONG, E.M.G.J.
OVIGNE, J-M. *see* BAKER, B.S.
OWEN, D.B. & MEFFERT, J.J. The suppression of primary palmar-plantar hyperhidrosis by topiramate, 826
OYAMA, N., BHOGAL, B.S., CARRINGTON, P., GRATIAN, M.J. & BLACK, M.M. Human placental amnion is a novel substrate for detecting autoantibodies in autoimmune bullous diseases by immunoblotting, 939
ÖZDEMIR, C. *see* HINRICHS, R.
OZEKI, K. *see* KATO, Y.
OZOG, D. *see* KONTOS, A.P.

PABUÇÇUOĞLU, U., CANDA, M.Ş., GÜRAY, M., KEFİ, A. & CANDA, E. The possible role of dartoic muscle degeneration in the pathogenesis of idiopathic scrotal calcinosis, 827
PACENTI, L. *see* MAELLARO, E.
PAGNANELLI, G., SOYER, H.P., ARGENZIANO, G., TALAMINI, R., BARBATI, R., BIANCHI, L., CAMPIONE, E., CARBONI, I., CARROZZO, A.M., CHIMENTI, M.S., DE SIMONI, I., FALCOMATÀ, V., NETO, I.F., FRANCESCONI, F., GINEBRI, A., HAGMAN, J., MARULLI, G.C., PALAMARA, F., VIDOLIN, A.P., PIEMONTE, P., SODA, R. & CHIMENTI, S. Diagnosis of pigmented skin lesions by dermoscopy: web-based training improves diagnostic performance of non-experts, 698
PAI, P. *see* MURPHY, M.
PAIN, C. *see* GAUTHIER, Y.
PALAMARA, F. *see* PAGNANELLI, G.
PALIT, A. *see* INAMADAR, A.C.
PÅLSSON, S., GUSTAFSSON, L., BENDSOE, N., SOTO THOMPSON, M., ANDERSSON-ENGELS, S. & SVANBERG, K. Kinetics of the superficial perfusion and temperature in connection with photodynamic therapy of basal cell carcinomas using esterified and non-esterified 5-aminolaevulinic acid, 1179
PAN, M. *see* FENG, Y-G.
PANDHI, R. *see* PARSAD, D.
PANNOFINO, A. *see* NETTIS, E.
PAOLETTI, I. *see* BARONI, A.
PAOLI, S. *see* CECCHI, R.
PAPADAVID, E., ECONOMIDOU, J., PSARRA, A., KAPSIMALI, V., MANTZANA, V., ANTONIOU, C., LIMAS, K., STRATIGOS, A., STAVRIANEAS, N., AVGERINOU, G. & KATSAMBAS, A. The relevance of peripheral blood T-helper 1 and 2 cytokine pattern in the evaluation of patients with mycosis fungoides and Sézary syndrome, 709
PAPALIMNEOU, V. *see* CHARALABOPOULOS, K.
PARIKKA, M. *see* NUUTINEN, P.
PARK, Y-M. *see* LIM, J-H.
PARSAD, D., PANDHI, R., DOGRA, S., KANWAR, A.J. & KUMAR, B. Dermatology Life Quality Index score in vitiligo and its impact on the treatment outcome, 373
PAS, H.H. *see* NARBUTT, J.

PASCUAL, J.C. *see* ALBARES, M.P.
PASQUINI, P. *see* SAMPOGNA, F.
PATEL, M. *see* DAWN, G.
PATEL, M.C. *see* AH-WENG, A.
PATERSON, W.D. *see* COX, N.H.
PAUL, C. & DUBERTRET, L. Importance of trial design in studies using high-dose intravenous immunoglobulin: reply from authors, 1285
PAWADE, J. *see* NARAYAN, S.
PEARSON, I.C. & HOLDEN, C.A. Delayed presentation of persistent unilateral cutaneous mottling of the arm following coarctation of the aorta, 1066
PEER, G. *see* INDELMAN, M.
PÉGUET-NAVARRO, J. *see* CONCHA, M.
PERCEAU, G., DERANCOURT, C., CLAVEL, C., DURLACH, A., PLUOT, M., LARDENNOIS, B. & BERNARD, P. Lichen sclerosus is frequently present in penile squamous cell carcinomas but is not always associated with oncogenic human papillomavirus, 934
PERRETT, C.M., BERTH-JONES, J. & DHARMA, B. Gravitational erythema, 1267
PHAN, T.T., SEE, P., TRAN, E., NGUYEN, T.T.T., CHAN, S.Y., LEE, S.T. & HUYNH, H. Suppression of insulin-like growth factor signalling pathway and collagen expression in keloid-derived fibroblasts by quercetin: its therapeutic potential use in the treatment and/or prevention of keloids, 544
PHAN, T.T. *see* ALLEN, J.
PHILLIPS, D. *see* CHAMBERS, L.
PHILPOTT, M.P. *see* MÜLLER, F.B.
PICARDI, A. *see* SAMPOGNA, F.
PICARDO, M. *see* CANNISTRACI, C.
PIEMONTE, P. *see* PAGNANELLI, G.
PIRAS, P. *see* COTTONI, F.
PIRTOLI, L. *see* MIRACCO, C.
PITTLER, M.H., ARMSTRONG, N.C., COX, A., COLLIER, P.M., HART, A. & ERNST, E. Randomized, double-blind, placebo-controlled trial of autologous blood therapy for atopic dermatitis, 307
PLACZEK, M. *see* DEGITZ, K.
PLEWIG, G. *see* DEGITZ, K.
PLUOT, M. *see* PERCEAU, G.
PORTALES, P. *see* DEREURE, O.
POSZEPCZYNSKA-GUIGNE, E., BAGOT, M., WECHSLER, J., REVUZ, J., FARCET, J-P. & DELFAU-LARUE, M-H. Minimal residual disease in mycosis fungoides follow-up can be assessed by polymerase chain reaction, 265
POULSOM, R. *see* EL-BAHRAWY, M.
POWLES, A.V. *see* BAKER, B.S.
PRAIS, L. *see* CHAKRABARTI, A.
PRENDERGAST, M.M. *see* ABRAMOVITS, W.
PRICE, M.L. *see* FELTON, J.
PRITCHARD, D.I. *see* CHAMBERS, L.
PRITCHARD, D.I. *see* HOROBIN, A.J.
PRÖSCH, S. *see* DÖCKE, W-D.
PRUSS, A. *see* DÖCKE, W-D.
PSARRA, A. *see* PAPADAVID, E.
PURCELL, W.M. *see* ZEINA, B.

QUERCIOLI, E. *see* CARLI, P.

RADEMAKER, M. *see* LITJENS, N.H.R.
RADIER, C. *see* COSNES, A.
RAFFERTY, T.S., GREEN, M.H.L., LOWE, J.E., ARLETT, C., HUNTER, J.A.A., BECKETT, G.J. & MCKENZIE, R.C. Effects of selenium compounds on induction of DNA damage by broadband ultraviolet radiation in human keratinocytes, 1001
RAMAEKERS, F.C.S. *see* TILLI, C.M.L.J.
RAMRAKHA-JONES, V.S. & HERD, R.M. Treating Bowen's disease: a cost-minimization study, 1167
RANGER-ROGEZ, S. *see* DESCAMPS, V.
RANKI, A. *see* KARENKO, L.
RAUCH, L. *see* REIFENBERGER, J.
RAVENSCROFT, J.C., LAYTON, A.M., EADY, E.A., MURTAGH, M.S., COATES, P., WALKER, M. & COVE, J.H. Short-term effects of topical fusidic acid or mupirocin on the prevalence of fusidic acid resistant (Fus^R) *Staphylococcus aureus* in atopic eczema, 1010
REAICH, D. *see* MURPHY, M.
REED, J.A. *see* HSU, S.
REEVE, V.E. & DOMANSKI, D. Immunoprotective haem oxygenase induction by ultraviolet A (320–400 nm) radiation in the mouse is inhibited in interferon-γ null mice, 1189
REICH, K., WESTPHAL, G., KÖNIG, I.R., MÖSSNER, R., SCHUPP, P., GUTGESELL, C., HALLIER, E., ZIEGLER, A. & NEUMANN, C. Cytokine gene polymorphisms in atopic dermatitis, 1237
REICHART, P.A. *see* KOLDE, G.
REIFENBERGER, G. *see* REIFENBERGER, J.
REIFENBERGER, J., RAUCH, L., BECKMANN, M.W., MEGAHED, M., RUZICKA, T. & REIFENBERGER, G. Cowden's disease: clinical and molecular genetic findings in a patient with a novel *PTEN* germline mutation, 1040
REISBERGER, E-M., ABELS, C., LANDTHALER, M. & SZEIMIES, R-M. Histopathological diagnosis of onychomycosis by periodic acid–Schiff-stained nail clippings, 749
REN, X-R. *see* FENG, Y-G.
RENCIC, A. *see* KOUBA, D.J.
RENCIC, A. *see* MIMOUNI, D.
RENWICK, A.G. *see* MORGAN, C.J.
REVUZ, J. *see* COSNES, A.
REVUZ, J. *see* DRENO, B.
REVUZ, J. *see* POSZEPCZYNSKA-GUIGNE, E.
REY, J., CRÉTEL, E., JEAN, R. & DURAND, J.M. Erythromelalgia in a patient with idiopathic thrombocytopenic purpura, 177
RICCI, L. *see* CARLI, P.
RICCIARDI, L. *see* MAZZEO, L.
RICHTIG, E. *see* ZALAUDEK, I.
RIDAURA-SANZ, C. *see* RUIZ-MALDONADO, R.
RIEKKI, R. *see* NUUTINEN, P.
RIGANÒ, R. *see* CANNISTRACI, C.
RIKIHISA, W. *see* FURUE, M.

RISTELI, J. *see* NUUTINEN, P.
ROBERTS, D.L.L. *see* NEWTON BISHOP, J.A.
ROBERTS, D.T., TAYLOR, W.D. & BOYLE, J. Guidelines for treatment of onychomycosis, 402
ROBERTS, P. *see* STRAUSS, R.M.
ROBINSON, C. *see* HOROBIN, A.J.
ROGERS, S. *see* De JONG, E.M.G.J.
RÖLL, E-M. *see* LEVERKUS, M.
ROLLMAN, O. *see* ROSS, J.I.
RONGIOLETTI, F. & INNOCENZI, D. Sclerosing 'mucinous' blue naevus, 1250
ROSS, J.I., SNELLING, A.M., CARNEGIE, E., COATES, P., CUNLIFFE, W.J., BETTOLI, V., TOSTI, G., KATSAMBAS, A., GALVAN PERÉZ DEL PULGAR, J.I., ROLLMAN, O., TÖRÖK, L., EADY, E.A. & COVE, J.H. Antibiotic-resistant acne: lessons from Europe, 467
ROSSEN, K. *see* GNIADECKI, R.
ROSSETTI, R. *see* CECCHI, R.
ROZENBERG, F. *see* DESCAMPS, V.
RUBEGNI, P. *see* MAELLARO, E.
RUIZ-MALDONADO, R., OROZCO-COVARRUBIAS, L., RIDAURA-SANZ, C., DURÁN-MCKINSTER, C., DEL MAR SÁEZ DE OCARIZ GUTIÉRREZ, M. & TAMAYO-SÁNCHEZ, L. Desmoplastic hairless hypopigmented naevus: a variant of giant congenital melanocytic naevus, 1253
RUIZ-MALDONADO, R. *see* KISZEWSKI, A.E.C.
RUIZ-RAMOS, M. *see* NIETO, A.
RUNARSDOTTIR, E.H. *see* GUDJONSSON, J.E.
RUSHTON, D.H., DOVER, R. & NORRIS, M.J. Is there really no clear association between low serum ferritin and chronic diffuse telogen hair loss?, 1282
RUSSELL-JONES, R. *see* CHILD, F.J.
RUSSELL-JONES, R. *see* HOQUE, S.R.
RUSTIN, M. *see* HUBBARD, V.
RUZICKA, T. *see* REIFENBERGER, J.

SAEKI, H., OHMATSU, H., HOASHI, T., ASANO, N., IDEZUKI, T., KAWABATA, Y., ASAHINA, A., KIKUCHI, K. & TAMAKI, K. Dermatofibrosarcoma protuberans with *COL1A1* (exon 18)–*PDGFB* (exon 2) fusion transcript, 1028
SÁEZ-RODRÍGUEZ, M., GARCÍA-BUSTÍNDUY, M., LÓPEZ-ALBA, A., NODA-CABRERA, A., GUIMERÁ-MARTÍN-NEDA, F., DORTA-ALOM, S., ESCODA-GARCÍA, M., FAGUNDO-GONZÁLEZ, E., SÁNCHEZ-GONZÁLEZ, R., MARTÍN-HERRERA, A. & GARCÍA-MONTELONGO, R. Localized lichen myxoedematosus (papular mucinosis) associated with morbid obesity: report of two cases, 165
SAIDA, T. *see* KOGANEHIRA, Y.
SAITO, I. *see* IDE, F.
SAKURAI, Y. *see* MUTO, T.
SAKURANE, M. *see* OHTANI, T.
SALDANHA, G., FLETCHER, A. & SLATER, D.N. Basal cell carcinoma: a dermatopathological and molecular biological update, 195
SALEM, C. *see* CONCHA, M.
SALIM, A. & DAWBER, R. A multiparametric approach is essential to define different clinicopathological entities within pseudopelade of Brocq, 1271
SALIM, A., LEMAN, J.A., McCOLL, J.H., CHAPMAN, R. & MORTON, C.A. Randomized comparison of photodynamic therapy with topical 5-fluorouracil in Bowen's disease, 539
SALO, T. *see* NUUTINEN, P.
SALOMON, D. *see* VECCHIETTI, G.
SAMPAGAVI, V.V. *see* INAMADAR, A.C.
SAMPOGNA, F., PICARDI, A., MELCHI, C.F., PASQUINI, P. & ABENI, D. The impact of skin diseases on patients: comparing dermatologists' opinions with research data collected on their patients, 989
SAMSON, J. *see* VECCHIETTI, G.
SÁNCHEZ-GONZÁLEZ, R. *see* SÁEZ-RODRÍGUEZ, M.
SANDER, C.S., HAMM, F., ELSNER, P. & THIELE, J.J. Oxidative stress in malignant melanoma and non-melanoma skin cancer, 913
SANDSTRÖM, M.H. *see* JOHANSSON, C.
SANSOM, J.E. *see* BRITTON, J.E.R.
SANTUCCI, B. *see* CANNISTRACI, C.
SARASWAT, A., DOGRA, S., BANSALI, A. & KUMAR, B. Phakomatosis pigmentokeratotica associated with hypophosphataemic vitamin D-resistant rickets: improvement in phosphate homeostasis after partial laser ablation, 1074
SARIDAKI, Z., LILOGLOU, T., ZAFIROPOULOS, A., KOUMANTAKI, E., ZORAS, O. & SPANDIDOS, D.A. Mutational analysis of *CDKN2A* genes in patients with squamous cell carcinoma of the skin, 638
SARNA, S. *see* KARENKO, L.
SÄRNHULT, T. *see* JOHANSSON, C.
SASAKI, K. *see* KOGANEHIRA, Y.
SASAKI, T., KANO, R., SATO, H., NAKAMURA, Y., WATANABE, S. & HASEGAWA, A. Effects of staphylococci on cytokine production from human keratinocytes, 46
SATO, H. *see* SASAKI, T.
SATOH, T. *see* OI, M.
SAURAT, J-H. *see* VECCHIETTI, G.
SAVAGE, R. *see* DIBA, V.C.
SAWAMURA, D. *see* KAWASAKI, H.
SCHANZ, S. & Fierlbech, G. Arterial embolization caused by injection of hyaluronic acid (Restylane): reply from authors, 379
SCHARFFETTER-KOCHANEK, K. *see* HINRICHS, R.
SCHAUBERGER, G. *see* MAIER, H.
SCHEYNIUS, A. *see* JOHANSSON, C.
SCHIFFNER, R., SCHIFFNER-ROHE, J., GERSTENHAUER, M., HOFSTÄDTER, F., LANDTHALER, M. & STOLZ, W. Willingness to pay and time trade-off: sensitive to changes of quality of life in psoriasis patients?, 1153
SCHIFFNER-ROHE, J. *see* SCHIFFNER, R.
SCHINDL, A., MERWALD, H., SCHINDL, L., KAUN, C. & WOJTA, J. Direct stimulatory effect of low-intensity 670 nm laser irradiation on human endothelial cell proliferation, 334
SCHINDL, L. *see* SCHINDL, A.

SCHMIDT, E., KLINKER, E., OPITZ, A., HERZOG, S., SITARU, C., GOEBELER, M., MANSOURI TALEGHONI, B., BRÖCKER, E-B. & ZILLIKENS, D. Protein A immunoadsorption: a novel and effective adjuvant treatment of severe pemphigus, 1222
SCHMIDT, H. *see* DEGITZ, K.
SCHMIDT, S. Female alopecia: the mediating effect of attachment patterns on changes in subjective health indicators, 1205
SCHMITT, D. *see* CONCHA, M.
SCHMUTZ, J.L. *see* FAYS, S.
SCHNÉBERT, S. *see* BOSSET, S.
SCHNEIDER, L.A. *see* HINRICHS, R.
SCHUPP, P. *see* REICH, K.
SCHWERTFEGER, C. *see* LIPPERT, U.
SEE, P. *see* PHAN, T.T.
SEIJGER, M.M.B. *see* DE JONG, E.M.G.J.
SEITÉ, S., ZUCCHI, H., MOYAL, D., TISON, S., COMPAN, D., CHRISTIAENS, F., GUENICHE, A. & FOURTANIER, A. Alterations in human epidermal Langerhans cells by ultraviolet radiation: quantitative and morphological study, 291
SENSAKI, H. *see* KUROKAWA, I.
SEPP, N. *see* OBERMOSER, G.
SESTINI, S. *see* CARLI, P.
SHAFFRALI, F. *see* DAWN, G.
SHAH, M. & MOHANRAJ, M. High levels of fusidic acid-resistant *Staphylococcus aureus* in dermatology patients, 1018
SHAKESHEFF, K.M. *see* HOROBIN, A.J.
SHAPIRO, J. *see* SHUM, D.T.
SHARPE, J.L. *see* HOLME, S.A.
SHARQUIE, K.E., AL-WAIZ, M. & AL-GURAIRI, F. Zinc sulphate for viral warts: reply from authors, 1083
SHAW, J.C. *see* KRUNIC, A.L.
SHAW, S. *see* BRITTON, J.E.R.
SHELDON, J.A. *see* OBERMOSER, G.
SHIAO, Y.M. *see* CHANG, Y.T.
SHICHINO, H. *see* OCHIAI, T.
SHIKANO, S. *see* TAKAO, J.
SHIKATA, N. *see* KUROKAWA, I.
SHIMIZU, H. *see* AKIYAMA, M.
SHIMIZU, H. *see* ARITA, K.
SHIMIZU, H. *see* KAWASAKI, H.
SHINKAI, H. *see* ENDO, H.
SHINKAI, H. *see* MATSUSHIMA, H.
SHINKAI, H. *see* TOGAWA, Y.
SHIRAFUJI, Y. *see* OONO, T.
SHIRAI, N. *see* KATOU, F.
SHIRAISHI, S. *see* YOTSUMOTO, S.
SHIRAKI, R. *see* KATO, Y.
SHUM, D.T., LUI, H., MARTINKA, M., BERNARDO, O. & SHAPIRO, J. Computerized morphometry and three-dimensional image reconstruction in the evaluation of scalp biopsy from patients with non-cicatricial alopecias, 272
SIDWELL, R.U., MCLAUGHLIN, J.E., JONES, A. & WHITTAKER, S.J. Hodgkin lymphoma in a patient with mycosis fungoides: molecular evidence for separate cellular origins, 810
SIGMUNDSDOTTIR, H., GUDJONSSON, J.E. & VALDIMARSSON, H. The effects of ultraviolet B treatment on the expression of adhesion molecules by circulating T lymphocytes in psoriasis, 996
SILVESTRI, I. *see* BARONI, A.
SIMONART, T., DE DOBBELEER, G. & STALLENBERG, B. Classic Kaposi's sarcoma of the palm in a metallurgist: role of iron filings in its development?, 1061
SIMPSON, A. *see* GRIMBALDESTON, M.A.
SINCLAIR, R. There is no clear association between low serum ferritin and chronic diffuse telogen hair loss: reply from authors, 1284
SIRACUSANO, S. *see* CANNISTRACI, C.
SITARU, C. *see* SCHMIDT, E.
SLATER, D.N. *see* SALDANHA, G.
SLATER, D.N. New CD56 positive and cytotoxic T-cell cutaneous lymphomas from the World Health Organisation, 385
SLATER, D. Primer of Dermatopathology, 192
SMEETON, N.C. *see* FLETCHER, C.L.
SMOLLE, J. *see* ZALAUDEK, I.
SNELLING, A.M. *see* ROSS, J.I.
SODA, R. *see* PAGNANELLI, G.
SOON, S.L. *see* BRAZA, T.J.
SOTO THOMPSON, M. *see* PÅLSSON, S.
SOUTEYRAND, P. *see* DE JONG, E.M.G.J.
SOYER, H.P. *see* PAGNANELLI, G.
SPANDIDOS, D.A. *see* SARIDAKI, Z.
SPITTLE, M. *see* CHILD, F.J.
SPITTLE, M. *see* HOQUE, S.R.
SPRECHER, E. *see* INDELMAN, M.
SPRINGER, I.N.G. *see* DUNSCHE, A.
STAIB, G. *see* HINRICHS, R.
STALLENBERG, B. *see* SIMONART, T.
STANDEN, G.R. *see* NARAYAN, S.
STANTE, M. *see* CARLI, P.
STATHAM, B. *see* BRITTON, J.E.R.
STATHAM, B.N. *see* CHOWDHURY, M.M.U.
STAVRIANEAS, N. *see* PAPADAVID, E.
STEFANSSON, K. *see* GUDJONSSON, J.E.
STEIN, H. *see* KOLDE, G.
STEPHENS, P., WALL, I.B., WILSON, M.J., HILL, K.E., DAVIES, C.E., HILL, C.M., HARDING, K.G. & THOMAS, D.W. Anaerobic cocci populating the deep tissues of chronic wounds impair cellular wound healing responses *in vitro*, 456
STERRY, W. *see* DÖCKE, W-D.
STEVENSON, L. *see* ABRAMOVITS, W.
STOLZ, W. *see* SCHIFFNER, R.
STRATIGOS, A. *see* PAPADAVID, E.
STRAUSS, R.M., MERCHANT, W.J., ROBERTS, P., WRIGHT, A.L. & CLARK, S.M. A case of childhood dermatofibrosarcoma protuberans without detected cytogenetic abnormality, 1051
SUH, K.S. *see* CHOI, T.S.
SUTO, H. *see* MUTO, T.
SUTO, H. *see* WARNNISSORN, P.

SUZUKI, M. *see* UMEMOTO, N.
SUZUKI, S-I. *see* UMEMOTO, N.
SUZUKI, Y. *see* AKIYAMA, M.
SUZUKI, Y. *see* OKAZAKI, M.
SVANBERG, K. *see* PÅLSSON, S.
SYSA-JEDRZEJOWSKA, A. *see* NARBUTT, J.
SZEIMIES, R-M. *see* REISBERGER, E-M.

TAGAMI, H. *see* KATOU, F.
TAGAMI, H. *see* KIKUCHI, K.
TAÏEB, A. *see* GAUTHIER, Y.
TAJIMA, S. *see* FUJIMOTO, N.
TAKAI, K. *see* KIMURA, S.
TAKAI, Y. *see* MATSUSHIMA, H.
TAKAO, J., YUDATE, T., DAS, A., SHIKANO, S., BONKOBARA, M., ARIIZUMI, K. & CRUZ JR, P.D. Expression of NF-κB in epidermis and the relationship between NF-κB activation and inhibition of keratinocyte growth, 680
TAKAO, J. *see* BONKOBARA, M.
TAKAYASU, S. *see* HATANO, Y.
TAKEOKA, M. *see* KOGANEHIRA, Y.
TAKIZAWA, Y. *see* AKIYAMA, M.
TALAMINI, R. *see* PAGNANELLI, G.
TAMADA, Y. *see* NAKASEKO, H.
TAMAKI, K. *see* KAKINUMA, T.
TAMAKI, K. *see* SAEKI, H.
TAMAYO-SÁNCHEZ, L. *see* RUIZ-MALDONADO, R.
TAMMI, M.I. *see* KARVINEN, S.
TAMMI, R. *see* KARVINEN, S.
TAMURA, A. *see* MOTEGI, S.
TANGO, T. *see* KAWASHIMA, M.
TANIGUCHI, S. *see* KOGANEHIRA, Y.
TASKAPAN, O. *see* DOGAN, B.
TAYLOR, W.D. *see* ROBERTS, D.T.
TENGVALL LINDER, M. *see* JOHANSSON, C.
TENNSTEDT, D. *see* GHISLAIN, P-D.
TERAO, H. *see* FURUE, M.
TERASAKI, K. *see* KANEKURA, T.
TERENGHI, G. *see* TYMPANIDIS, P.
TERHEYDEN, H. *see* DUNSCHE, A.
TERUI, T. *see* KIKUCHI, K.
TEZUKA, T. *see* ARAGANE, Y.
TEZUKA, T. *see* MAEDA, A.
THAMI, G.P. & KAUR, S. Genital lichen sclerosus, squamous cell carcinoma and circumcision, 1083
THAMI, G.P. *see* KAUR, C.
THE MELANOMA STUDY GROUP, o.b.o. *see* NEWTON BISHOP, J.A.
THE STUDY INVESTIGATOR GROUP *see* DRENO, B.
THIBAUT, I. *see* MAZEREEUW-HAUTIER, J.
THIELE, J.J. *see* SANDER, C.S.
THIO, B. *see* LITJENS, N.H.R.
THOMAS, D.W. *see* STEPHENS, P.
THORLEIFSSON, A. & WULF, H.C. Emollients and the response of facial skin to a cold environment, 1149
TILLI, C.M.L.J., RAMAEKERS, F.C.S., BROERS, J.L.V., HUTCHISON, C.J. & NEUMANN, H.A.M. Lamin expression in normal human skin, actinic keratosis, squamous cell carcinoma and basal cell carcinoma, 102
TISON, S. *see* SEITÉ, S.
TJIU, J-W., HSIAO, C-H. & TSAI, T-F. Cutaneous Rosai–Dorfman disease: remission with thalidomide treatment, 1060
TODA, S. *see* UMEMOTO, N.
TOGAWA, Y. Collagenoma in Down syndrome, 596
TOJO, M., KIYOSAWA, H., IWATSUKI, K., NAKAMURA, K. & KANEKO, F. Expression of the *GLI2* oncogene and its isoforms in human basal cell carcinoma, 892
TOKUO, H. *see* KAGESHITA, T.
TOMITAKA, A. *see* YOTSUMOTO, S.
TONEV, S.D. *see* ORTONNE, J.P.
TONG, K. *see* ABRAMOVITS, W.
TÖRÖK, L. *see* ROSS, J.I.
TORRELO, A., ZAMBRANO, A. & HAPPLE, R. Cutis marmorata telangiectatica congenita and extensive mongolian spots: type 5 phacomatosis pigmentovascularis, 342
TORZECKA, J.D. *see* NARBUTT, J.
TOSTI, G. *see* ROSS, J.I.
TRAJKOVIC, D. *see* BLOMME, E.A.G.
TRAN, E. *see* PHAN, T.T.
TRAUPE, H. *see* BÖHM, M.
TRÉCHOT, P. *see* FAYS, S.
TRIPP, C.S. *see* BLOMME, E.A.G.
TRUCHETET, F. *see* FAYS, S.
TSAI, S.F. *see* CHANG, Y.T.
TSAI, T-F. *see* TJIU, J-W.
TSAI, Y-M. *see* CHAO, S-C.
TSANKOV, N. *see* ORTONNE, J.P.
TSUBURA, A. *see* KUROKAWA, I.
TSUJI, Y. *see* ARITA, K.
TULLOCH, I.K. & ORMEROD, A.D. Quality of life measurements, 193
TURSEN, U. *see* KAYA, T.I.
TURSI, A. *see* NETTIS, E.
TYMPANIDIS, P., TERENGHI, G. & DOWD, P. Increased innervation of the vulval vestibule in patients with vulvodynia, 1021
TZUNG, T.Y. *see* LO, P.Y.

UCHIDA, G. *see* OKAZAKI, M.
UEDA, M., MAKINODAN, R., MATSUMURA, M. & ICHIHASHI, M. Successful treatment of amyopathic dermatomyositis with topical tacrolimus, 595
UEDA, S. *see* DAINICHI, T.
UEHARA, M. Prevalence of hypertension among patients with atopic dermatitis: reply from author, 380
UENO, K. *see* MAEDA, A.
UMEKI, T. *see* HATANO, Y.
UMEMOTO, N., DEMITSU, T., TODA, S., NOGUCHI, T., SUZUKI, S-I., KAKURAI, M., YAMADA, T., SUZUKI, M., NAKAGAWA, H., KOMAI, A. & HASHIMOTO, T. A case of anti-p200 pemphigoid clinically mimicking inflammatory epidermolysis bullosa acquisita, 1058

UMEMOTO, N. *see* KAKURAI, M.
UNSWORTH, D.J. *see* GOMPELS, M.M.
UPMANYU, R. *see* GUDJONSSON, J.E.
URABE, K. *see* FURUE, M.
URCELAY, M. *see* DAWN, G.
USHIO, H. *see* WARNNISSORN, P.
UTANI, A. *see* ENDO, H.
UTANI, A. *see* TOGAWA, Y.
UTANI, A. *see* MATSUSHIMA, H.

VAILLANT, L. *see* DE JONG, E.M.G.J.
VALDIMARSSON, H. *see* GUDJONSSON, J.E.
VALDIMARSSON, H. *see* SIGMUNDSDOTTIR, H.
VALENTINI, M.A. *see* MAELLARO, E.
VAN DE KERKHOF, P.C.M. *see* DE JONG, E.M.G.J.
VAN DE MEIDE, P.H. *see* LITJENS, N.H.R.
VAN DEN OUDENRIJN, A.C. *see* LITJENS, N.H.R.
VAN DER WAL, A.C. *see* MEKKES, J.R.
VAN DISSEL, J.T. *see* LITJENS, N.H.R.
VARGAS-DÍEZ, E., FERNÁNDEZ-HERRERA, J., MARIN, A., CÁMARA, R. & GARCÍA-DÍEZ, A. Analysis of risk factors for acute cutaneous graft-versus-host disease after allogeneic stem cell transplantation, 1129
VARMA, S. & FINLAY, A.Y. The Woronoff ring in psoriasis, 170
VECCHIETTI, G., KERL, K., HÜGLI, A., SAMSON, J. & BORRADORI, L. Topical tacrolimus (FK506) for relapsing erosive stomatitis in paraneoplastic pemphigus, 833
VECCHIETTI, G., MASOUYÉ, I., SALOMON, D., DOZIER, C., SAURAT, J-H., HELG, C. & BORRADORI, L. An unusual form of primary systemic amyloidosis: amyloid elastosis: report of a case treated by haematopoietic cell transplantation, 154
VEGA-LOPEZ, F. *see* FORSYTH, S.F.
VENTURA, M.T., CALOGIURI, G.F., MATINO, M.G., DAGNELLO, M., BUQUICCHIO, R., FOTI, C. & DI CORATO, R. Alternative glucocorticoids for use in cases of adverse reaction to systemic glucocorticoids: a study on 10 patients, 139
VERGARA, G. *see* ALBARES, M.P.
VERMA, S. Cheilitis glandularis: a rare entity, 362
VEYSSIER, P. *see* CHOSIDOW, O.
VIDAL, M.A. *see* CONCHA, M.
VIDOLIN, A.P. *see* PAGNANELLI, G.
VILALTA, A., MORENO-ARIAS, G.A. & MASCARO, J.M. In-column electrocoagulation for lymphatic malformation of the tongue, 1279
VOLK, H-D. *see* DÖCKE, W-D.

WAHLGREN, C.F. *see* JOHANSSON, C.
WAINWRIGHT, N.J. *see* DAWE, R.S.
WAKUGAWA, M. *see* KAKINUMA, T.
WALDMANN, V. Liposomal doxorubicin in the treatment of metastasized angiosarcoma, 606
WALKER, M. *see* RAVENSCROFT, J.C.
WALKER, S.L., KIRBY, B. & CHALMERS, R.J.G. Topical tacrolimus for cutaneous lupus erythematosus: reply from authors, 829
WALL, I.B. *see* STEPHENS, P.
WALSH, M. *see* MCLOONE, N.M.
WANG, H. *see* KOH, D.
WANG, W.J. *see* CHANG, Y.T.
WANG, W-Q. *see* FENG, Y-G.
WARNNISSORN, P., NAKAO, A., SUTO, H., USHIO, H., YAMAGUCHI, N., YAGITA, H., OKUMURA, K. & OGAWA, H. Tumour necrosis factor-related apoptosis-inducing ligand expression in atopic dermatitis, 829
WATANABE, M. *see* KIKUCHI, K.
WATANABE, S. *see* SASAKI, T.
WATERMAN, C. *see* HORSLEY, L.
WEBER, A., KNOP, J. & MAURER, M. Pattern analysis of human cutaneous mast cell populations by total body surface mapping, 224
WECHSLER, J. *see* NIKOLOVA, M.
WECHSLER, J. *see* POSZEPCZYNSKA-GUIGNE, E.
WEITZ, M. *see* DÖCKE, W-D.
WESENDAHL, C. *see* KOLDE, G.
WESTERHOF, W. & GAMEI, M. Treatment of acquired junctional melanocytic naevi by Q-switched and normal mode ruby laser, 80
WESTPHAL, G. *see* REICH, K.
WHITTAKER, S.J. *see* CHILD, F.J.
WHITTAKER, S.J. *see* HOQUE, S.R.
WHITTAKER, S.J. *see* SIDWELL, R.U.
WILKINSON, S.M. *see* BRITTON, J.E.R.
WILLIAMS, H.C. *see* COX, N.H.
WILLIAMS, H.C. *see* FERGUSON, A.D.
WILSON, M.J. *see* STEPHENS, P.
WOESTYN, S. *see* GHISLAIN, P-D.
WOJNAROWSKA, F. *see* ALLEN, J.
WOJTA, J. *see* SCHINDL, A.
WONG, C.K. *see* CHANG, Y.T.
WOOD, A.C. *see* HSU, S.
WOODROW, S. *see* CHAMBERS, L.
WOODROW, S. *see* HOROBIN, A.J.
WORM, M. & KOLDE, G. Schnitzler's syndrome: successful treatment of two patients using thalidomide, 601
WORM, M. *see* DÖCKE, W-D.
WRIGHT, A.L. *see* STRAUSS, R.M.
WU, C-H., CHANG, G-Y., CHANG, W-C., HSU, C-T. & CHEN, R-S. Wound healing effects of porcine placental extracts on rats with thermal injury, 236
WULF, H.C. *see* OSADA, M.
WULF, H.C. *see* THORLEIFSSON, A.

XIAO, S-X. *see* FENG, Y-G.

YAGITA, H. *see* WARNNISSORN, P.
YAJIMA, A. *see* ARAGANE, Y.
YAMADA, N. *see* HAGARI, Y.
YAMADA, T. *see* UMEMOTO, N.
YAMAGUCHI, N. *see* WARNNISSORN, P.
YAMAMOTO, O. & YASUDA, H. Extramammary Paget's disease with superimposed herpes simplex virus infection: immunohistochemical comparison with cases of the two respective diseases, 1258

YAMASAKI, O. *see* AKIYAMA, H.
YAMAZAKI, F. *see* MAEDA, A.
YANG, M-H. *see* CHAO, S-C.
YASUDA, H. *see* YAMAMOTO, O.
YAZDANPARAST, A., JACKSON, C.J., BARTON, R.C. & EVANS, E.G.V. Molecular strain typing of *Trichophyton rubrum* indicates multiple strain involvement in onychomycosis, 51
YOKOZEKI, H. *see* NAKAMURA, S.
YOKOZEKI, H. *see* OI, M.
YOSHII, N. *see* KANEKURA, T.
YOSHIMOTO, S. *see* ENDO, H.
YOSHIMURA, K. *see* OKAZAKI, M.
YOSHINAGA, H. *see* MUTO, T.
YOSIPOVITCH, G. *see* CHAN, Y-C.
YOTSUMOTO, S., HASHIGUCHI, T., CHEN, X., OHTAKE, N., TOMITAKA, A., AKAMATSU, H., MATSUNAGA, K., SHIRAISHI, S., MIURA, H., ADACHI, J. & KANZAKI, T. Novel mutations in *GJB2* encoding connexin-26 in Japanese patients with keratitis–ichthyosis–deafness syndrome, 649
YUDATE, T. *see* TAKAO, J.
YULE, S. *see* DAWE, R.S.
ZAFIROPOULOS, A. *see* SARIDAKI, Z.
ZALAUDEK, I., HORN, M., RICHTIG, E., HÖDL, S., KERL, H. & SMOLLE, J. Local recurrence in melanoma *in-situ*: influence of sex, age, site of involvement and therapeutic modalities, 703
ZAMBRANO, A. *see* TORRELO, A.
ZAMIRI, M. *see* DAWN, G.
ZARGARI, A. *see* JOHANSSON, C.
ZEINA, B., GREENMAN, J., CORRY, D. & PURCELL, W.M. Antimicrobial photodynamic therapy: assessment of genotoxic effects on keratinocytes *in vitro*, 229
ZELGER, B. *see* OBERMOSER, G.
ZIEGLER, A. *see* REICH, K.
ZILLIKENS, D. *see* SCHMIDT, E.
ZOLLNER, T.M. *see* BOEHNCKE, W-H.
ZOMERDIJK, T.P.L. *see* LITJENS, N.H.R.
ZORAS, O. *see* SARIDAKI, Z.
ZUBERBIER, T. *see* HERMES, B.
ZUCCHI, H. *see* SEITÉ, S.

Subject

Absidia corymbifera, penile ulceration due to (Correspondence) 1286
acitretin, agranulocytosis and total scalp alopecia following (Correspondence) 1063
acne
antibiotic-resistant (Correspondence) 365, (Correspondence) 366, 467
with congenital adrenal hyperplasia (Case Report) 1263
acquired junctional melanocytic naevi, laser therapy 80
actin-binding protein expression in vascular smooth muscle in melanoma lesions 971
actinic keratosis
histological changes and apoptosis following photodynamic therapy 122
lamin expression 102
acupuncture, argyria following needle implantation (Clinical Cameo) 822
adenolipoma of the lip (Correspondence) 605
adrenaline, audit of self-administered syringe use in Glasgow (Correspondence) 176
adrenomedullin 30
agranulocytosis and total scalp alopecia following acitretin (Correspondence) 1063
AIRE gene and susceptibility to alopecia universalis (Abstract) 849
alefacept-induced remission in chronic plaque psoriasis (Concise Communication) 784
allergens, validation and value of British standard series for contact dermatitis 259
allergic contact dermatitis
to broccoli (Correspondence) 172
to topical applications in atopic dermatitis (Abstract) 847
allogeneic stem cell transplantation, risk factors for GVHD 1129
alopecia
and agranulocytosis following acitretin (Correspondence) 1063
female, effect of attachment patterns on changes in subjective health indicators 1205
non-cicatricial, evaluation of scalp biopsy 272
alopecia areata
age at onset, atopy and disease associations (Abstract) 866
failed therapeutic response to diphenylcyclo-propenone (Abstract) 862
alopecia universalis, role of *AIRE* gene in susceptibility (Abstract) 849
alpha-melanocyte stimulating hormone
effect of melanocortin-1 receptor variants on suppression of antigen-induced lymphocyte proliferation (Abstract) 856
effects on UVB-induced apoptosis (Abstract) 855
amalgam
lichenoid reactions of murine mucosa 741
oral lichenoid reactions associated 70
amputation (Correspondence) 1078
amyloid elastosis (Case Report) 154
anaerobic cocci in deep tissues of chronic wounds, healing impairment 456
angio-oedema
clinical and aetiological aspects 501
hereditary, misdiagnosis 719
angiosarcoma, metastasized, liposomal doxorubicin therapy (Correspondence) 605
anogenital intraepithelial neoplasia, effect of therapeutic vaccination on HPV transcription and DNA amplification (Abstract) 864
anticonvulsant-induced pseudolymphoma syndrome 730
aortic coarctation, delayed presentation of persistent unilateral mottling of the arm following (Correspondence) 1066
apoptosis
p53-mediated, protein microarray analysis (Abstract) 861
UVB-induced, effects of alpha-MSH on (Abstract) 855
argyria following acupuncture needle implantation, mast cell activation by silver particles (Clinical Cameo) 822
arm, delayed presentation of persistent unilateral mottling following aortic coarctation (Correspondence) 1066
arterial embolization caused by hyaluronic acid injection (Correspondence) 379
atopic dermatitis
allergic contact dermatitis to topical applications (Abstract) 847
association with *SPINK5* gene polymorphism 665
atopy patch test reactions to *Malassezia* allergens 479
autologous blood therapy 307
childhood, psychological problems (Abstract) 1291
clinical dose and adverse effects of topical steroids 128
cytokine gene polymorphisms (Concise Communication) 1237
dirt and worms (Topical Review) 871
effect of fexofenadine and topical corticosteroid on pruritus associated 1212
effects of topical fusidic acid or mupirocin on prevalence of fusidic acid-resistant *S. aureus* 1010
hygiene hypothesis (Abstract) 1291
and hypertension (Correspondence) 380
minocycline therapy, acute pigmentation due to (Correspondence) 1073
pathogenic relevance of IgE-facilitated allergen presentation (Abstract) 851
prevalence in Japanese adults 117
S. aureus glycocalyx production in skin lesions 526
subclinical activation of latent CMV infection and anti-CMV immune response 954
TNF-related apoptosis-inducing ligand expression (Correspondence) 829
atrichia with papular lesions caused by compound heterozygosity for mutations in hairless gene (Concise Communication) 553

© 2003 British Association of Dermatologists

atrophie blanche with cutaneous polyarteritis nodosa (Concise Communication) 789
autoimmune bullous diseases, use of human placental amnion in detection of autoantibodies 939
autologous blood therapy for atopic dermatitis 307
azathioprine hypersensitivity in patient with peripheral demyelinating polyneuropathy (Correspondence) 1076

bacterial quorum-sensing molecules (Abstract) 859
basal cell carcinoma
analysis of Singapore Cancer Registry data 1968-97 1161
audit (Correspondence) 371
β-catenin expression 964
combined effects of gender, skin type and polymorphic genes on clinical phenotype (Abstract) 858
dermatopathology and molecular biology (Topical Review) 195
expression of *GL12* oncogene and isoforms 892
lamin expression 102
pedunculated, association with naevus lipomatosus cutaneus superficialis of the scalp (Correspondence) 1084
photodynamic therapy, kinetics of superficial perfusion and temperature 1179
BCC (Correspondence) 607
B-cell lymphoma with cryoglobulinaemic vasculitis and cryofibrinogenaemia (Correspondence) 1079
β1-integrins, keratinocyte expression in chronically sun-exposed skin 770
β-catenin expression in basal cell carcinoma 964
β-lactam antibiotics, detection of immediate-type reaction to epitope by quick patch test (Correspondence) 182
betamethasone valerate mousse in scalp psoriasis 134
bleaching products, skin diseases associated 493
blue naevus, sclerosing mucinous (Case Report) 1250
Borrelia afzelii in nipple lymphocytoma (Correspondence) 377
Bowen's disease
comparison of photodynamic therapy and topical 5-fluorouracil 539
cost minimization of treatment (Abstract) 619, 1167
British Association of Dermatologists, therapeutic guidelines 621
British Epidermo-Epidemiology Society, Meeting 618
British Society for Investigative Dermatology, Annual Meeting 843
British Society for Paediatric Dermatology, Annual Symposium 1291
broccoli, allergic contact dermatitis to (Correspondence) 172
bullous disease of the newborn, transient severe (Abstract) 1293
bullous impetigo, *S. aureus* glycocalyx production in skin lesions 526
bullous pemphigoid
double-filtration plasmapheresis (Case Report) 573
thymus and activation-regulated chemokine in blister fluid and sera 203
bupropion and generalized acute urticaria (Correspondence) 177

café-au-lait macules associated with stem cell factor and hepatocyte growth factor 689
calcipotriol
comparison with calcitriol in psoriasis 326
with methotrexate in psoriasis 318
calcitriol
comparison with calcipotriol in psoriasis 326
comparison with dithranol and narrow-band UVB in psoriasis 779
in treatment of inflammatory linear verrucous epidermal naevus (Correspondence) 824
calponin h1 expression in vascular smooth muscle in melanoma lesions 971
carcinoma with eccrine differentiation arising in seborrhoeic keratosis (Correspondence) 831
caspase-1 recruitment domain protein dysregulation in psoriasis (Abstract) 852
Castleman's disease with glomeruloid haemangioma and POEMS syndrome (Correspondence) 1276
CD40, evidence for modulation of human epidermal differentiation and remodelling 1105
CD44 in epidermal keratinocyte tumours 86
CD134 expression in lymphomatoid papulosis 885
cdk-docking site peptide derived from cdk-p53 interface (Abstract) 851
CDKN2A gene mutational analysis in squamous cell carcinoma 638
cheilitis glandularis (Clinical Cameo) 362
chemotherapy for metastatic breast cancer, exudative hyponychial dermatitis associated (Correspondence) 1071
childhood
heparin skin necrosis (Abstract) 1292
patch testing (Abstract) 1291
SLE with complement deficiency (Abstract) 1292
Children's Dermatology Life Quality Index 285
circumcision, genital lichen sclerosus and squamous cell carcinoma (Correspondence) 1083
claudin expression in healthy skin and chronic plaque psoriasis (Abstract) 868
clinics
community dermatology nurse management clinics (Abstract) 620
impact of outpatient partial booking (Abstract) 620
clopidogrel bisulphate-induced photosensitive lichenoid eruption (Correspondence) 608
CMV *see* cytomegalovirus
coal tar, topical, effect on drug metabolising gene expression in human skin (Abstract) 861
collagen, modulation of synthesis and mRNA by continuous and intermittent topical hydrocortisone use 39
community dermatology nurse management clinics (Abstract) 620
congenital adrenal hyperplasia with acne (Case Report) 1263
congenital erythropoietic porphyria associated with myelodysplasia (Case Report) 160

congenital ichthyosiform erythroderma, non-bullous, and squamous cell carcinoma (Correspondence) 367
congenital linear porokeratotic eccrine ostial dermal duct naevus (Abstract) 1293
connexins
cell death in skin disease-associated mutations (Abstract) 849
expression in human neonatal epidermis and epidermal melanocytes (Abstract) 859
genetic and functional analysis in skin disease and deafness (Abstract) 849
contact dermatitis
dermatology quality of life during patch testing (Abstract) 847
validation and value of British standard series of allergens 259
cornified cell envelope precursors, differential expression in normal skin, intraorally transplanted skin and oral mucosa 898
corticosteroids, topical, clinical dose and adverse effects in atopic dermatitis 128
Cowden's disease with novel *PTEN* germline mutation (Case Report) 1040
cryofibrinogenaemia with low-grade B-cell lymphoma and cryoglobulinaemic vasculitis (Correspondence) 1079
cryoglobulinaemic vasculitis with cryofibrinogenaemia and low-grade B-cell lymphoma (Correspondence) 1079
cutaneous CD30+ anaplastic large cell lymphoma, CD30+ circulating cells 246
cutaneous infarction with deep venous thrombosis and idiopathic hypereosinophilic syndrome (Case Report) 817
cutaneous lupus erythematosus, topical tacrolimus therapy (Correspondence) 829
cutis marmorata telangiectatica congenita and extensive Mongolian spots (Case Report) 342
cyclooxygenase-2 expression in lepromatous and tuberculoid leprosy lesions (Concise Communication) 795
cyclophilin B secretion by keratinocytes, effects of calcineurin inhibition on (Abstract) 850
cystic echinococcosis, acute generalized exanthematous pustulosis (Case Report) 1245
cytochrome P450 CYP2S1 expression in human skin (Abstract) 853
cytokine-expressing cell induction in mice by chemical contact and respiratory allergens (Abstract) 846
cytokines
effects of staphylococci on production from human keratinocytes 46
gene polymorphisms in atopic dermatitis (Concise Communication) 1237
role in pathogenesis of pemphigoid gestationis 1141
cytomegalovirus (CMV), subclinical activation of latent infection and anti-CMV immune response in atopic dermatitis 954
Darier's disease, sarco/endoplasmic reticulum calcium ATPase expression (Abstract) 861
dartoic muscle degeneration and pathogenesis of idiopathic scrotal calcinosis (Correspondence) 827
deep venous thrombosis with idiopathic hypereosinophilic syndrome and cutaneous infarction (Case Report) 817
dendritic cells, draining lymph node accumulation provoked by topical exposure of mice to chemical contact and respiratory allergens (Abstract) 862
dermatofibrosarcoma protuberans
childhood (Case Report) 1051
with *COL1A1-PDGFB* fusion transcript (Concise Communication) 1028
nodular sclerotic change in (Case Report) 357
Dermatology Life Quality Index 279
Children's 285
in vitiligo (Correspondence) 373
dermatomyositis
amyopathic, tacrolimus therapy (Correspondence) 595
with pemphigus foliaceus (Correspondence) 838
dermis
role of microvascular perfusion in penetration and tissue levels of water-soluble drugs 434
tissue-engineered endothelialized 1094
dermoscopy
in diagnosis of pigmented skin lesions 698
teaching melanoma diagnosis to residents in dermatology 981
desmoplastic hairless hypopigmented naevus (Case Report) 1253
diabetes mellitus, periocular ecthyma gangrenosum associated (Clinical Cameo) 821
dialysis, scleromyxoedema-like changes in four patients (Case Report) 563
dinitrothiocyanobenzene as sensitizer or tolerizer (Abstract) 855
dithranol
with narrow-band UVB, comparison with calcitriol in psoriasis 779
resistance by cells deficient in respiratory competent mitochondria (Abstract) 852
doxepin pre-treatment, effect on patch test reactions (Abstract) 847
doxorubicin, liposomal, in metastasized angiosarcoma (Correspondence) 605
drug-induced hypersensitivity syndrome with Epstein–Barr virus infection (Case Report) 1032

echinococcosis, cystic, acute generalized exanthematous pustulosis (Case Report) 1245
ecthyma gangrenosum, periocular, associated with diabetes mellitus (Clinical Cameo) 821
emollients and response of facial skin to a cold environment 1149
endothelium, effects of laser irradiation on cell proliferation (Concise Communication) 334

epidermal keratinocyte tumours, versican, CD44 and hyaluronan in 86
epidermis
evidence for modulation of differentiation and remodelling by CD40 1105
normal human neonatal, connexin expression (Abstract) 859
epidermodysplasia verruciformis, malignant proliferating trichilemmal tumour associated with HPV21 in (Correspondence) 180
epidermolysis bullosa simplex
chemical chaperone-mediated suppression of keratinocyte phenotype (Abstract) 850
generation of patient cell lines as model (Abstract) 848
epithelioid haemangioendothelioma, nail-destroying, showing erythematous scar-like appearance (Correspondence) 834
Epstein–Barr virus infection with drug-induced hypersensitivity syndrome (Case Report) 1032
erosive pustular dermatosis
leg, associated with compression bandaging and fungal infection 489
scalp (Correspondence) 593
erythroderma in pulmonary tuberculosis (Case Report) 346
erythromelalgia with idiopathic thrombocytopenic purpura (Correspondence) 177
extracellular matrix protein-1
gene mutations and genotype–phenotype correlation in lipoid proteinosis (Abstract) 856
specific humoral immune response to in lichen sclerosus (Abstract) 856
exudative hyponychial dermatitis associated with chemotherapy for metastatic breast cancer (Correspondence) 1071

facial skin response to a cold environment, effect of emollients 1149
favus due to *Trychophyton schoenleinii* (Clinical Cameo) 1057
ferritin and chronic diffuse telogen hair loss (Correspondence) 1282, (Correspondence) 1284
fibrillin, distribution of fibrillin-1 and fibrillin-rich microfibrils in murine skin chronically exposed to low-dose UVB (Abstract) 864
5-fluorouracil, comparison with photodynamic therapy in Bowen's disease 539
flutamide-induced photosensitivity (Correspondence) 602
folliculitis, superficial, localization of human β-defensin-2 and human neutrophil peptides (Correspondence) 188
foot ulcer treated with topical basic fibroblast growth factor product (Correspondence) 597
fumarate therapy in psoriasis, and downregulation of type 1 cytokines 444
fusidic acid, topical, effects on prevalence of fusidic acid-resistant *S. aureus* in atopic eczema 1010

genodermatoses, molecular genetics (Topical Review) 1
giant congenital melanocytic naevus, variant (Case Report) 1253
GJB2 mutations in keratitis–ichthyosis–deafness syndrome 649
GL12 oncogene expression and isoforms in basal cell carcinoma 892
glomeruloid haemangioma with POEMS syndrome and Castleman's disease (Correspondence) 1276
glucocorticoids, alternatives to use in cases of adverse reaction (Concise Communication) 139
graft-versus-host disease, risk factors after allogeneic stem cell transplantation 1129
granisetron treatment of severe pruritus associated with haemodialysis (Correspondence) 376
gravitational erythema (Clinical Cameo) 1267
greenbottle larvae
degradation of extracellular matrix components by proteinases in debridement of non-healing wounds 14
effects of secretions on interaction between human dermal fibroblasts and extracellular matrix components 923

haemodialysis, severe pruritus associated, granisetron treatment (Correspondence) 376
haem oxygenase, UVA-induced, inhibition in interferon-γ null mice 1189
hair
chronic diffuse telogen loss and low serum ferritin (Correspondence) 1282, (Correspondence) 1284
frontal recession in women (Abstract) 860
protein structure spectroscopic analysis in trichothiodystrophy (Correspondence) 599
straight, associated with therapy in hepatitis C infection (Correspondence) 595
hairless gene, atrichia with papular lesions caused by compound heterozygosity for mutations (Concise Communication) 553
hairless mice, effect of salicylic acid chemical peeling on skin tumour development 906
h-caldesmon expression in vascular smooth muscle in melanoma lesions 971
heparin skin necrosis in childhood (Abstract) 1292
hepatitis C infection, straight hair associated with therapy (Correspondence) 595
hereditary angio-oedema, misdiagnosis 719
herpes facialis, single dose valaciclovir therapy (Concise Communication) 142
herpes simplex virus infection with extramammary Paget's disease (Case Report) 1258
histamine, role in immediate inflammatory response to photodynamic therapy (Abstract) 855
HIV infection and visceral leishmaniasis, multiple dermatofibroma-like lesions associated (Correspondence) 185
HLA associations in psoriasis 233
Hodgkin lymphoma with mycosis fungoides (Case Report) 810

human papillomaviruses
effect of therapeutic vaccination in anogenital intraepithelial neoplasia on transcription and DNA amplification (Abstract) 864
trichilemmal tumour associated with HPV21 with epidermodysplasia verruciformis (Correspondence) 180
human placental amnion, use in detection of autoantibodies in autoimmune bullous diseases 939
Hunter's syndrome with extensive Mongolian spots 1173
hyaluronan in epidermal keratinocyte tumours 86
hyaluronic acid, arterial embolization caused by injection (Correspondence) 379
hydroa vacciniforme, hydroxychloroquine therapy (Abstract) 1292
hydrocortisone, topical, modulation of collagen synthesis and mRNA by continuous and intermittent use 39
hydroxychloroquine in hydroa vacciniforme (Abstract) 1292
hypertension and atopic dermatitis (Correspondence) 380
hypophosphataemic vitamin D-resistant rickets, association with phakomatosis pigmentokeratotica (Correspondence) 1075

idiopathic hypereosinophilic syndrome with cutaneous infarction and deep venous thrombosis (Case Report) 817
idiopathic thrombocytopenic purpura with erythromelalgia (Correspondence) 177
in-column electrocoagulation for lymphatic malformation of the tongue (Correspondence) 1279
inflammatory linear verrucous epidermal naevus, calcitriol treatment (Correspondence) 824
infliximab in peristomal pyoderma gangrenosum (Case Report) 813
interferon-α, effects on melanoma cell lines 1115
interferon-β-1a, urticaria due to (Correspondence) 172
intravenous immunoglobulin, importance of trial design in studies (Correspondence) 1284, (Correspondence) 1285
irritant dermatitis due to prolonged contact with Oilatum Plus (Correspondence) 171
isotretinoin, adverse effects (Correspondence) 593

joint prostheses, metal allergy potential (Topical Review) 1089

Kaposi's sarcoma, classic
mucosal involvement (Correspondence) 1273
of the palm in a metallurgist (Correspondence) 1061
keloids, potential use of quercetin in treatment and/or prevention 544
keratinocytes
cyclophilin B secretion, effects of calcineurin inhibition on (Abstract) 850
effects of staphylococci on cytokine production 46
in epidermolysis bullosa simplex, chemical chaperone-mediated suppression of phenotype (Abstract) 850
expression of β1-integrins in chronically sun-exposed skin 770
identification of novel genes for secreted and membrane-anchored proteins 654
induction of translocation of NFAT2 to nucleus (Abstract) 850
protection from UVR-induced lipid peroxidation and cell death by oxidative stress by selenium (Abstract) 864
relationship between NF-κB activation and growth inhibition 680
sub-populations in wound re-epithelialisation (Abstract) 858
keratins
keratin 4 gene mutation causing white sponge naevus 1125
keratin 17 in pachyonychia congenita type 2 452
keratitis–ichthyosis–deafness syndrome, *GJB2* mutations 649
keratoacanthoma
development in hypertrophic lichen planus (Clinical Cameo) 592
reactive multiple, in chronic renal insufficiency (Correspondence) 1270, (Correspondence) 1271
ketoconazole, comparison with lithium gluconate in treatment of seborrhoeic dermatitis 1230

lamellar ichthyosis, classic phenotype due to *TGM1* gene mutation (Case Report) 149
lamin expression in normal skin, actinic keratosis, squamous cell carcinoma and basal cell carcinoma 102
Langerhans cells
effects of organic and inorganic forms of selenium on cell numbers and immune function (Abstract) 863
human epidermal, alterations by UV radiation 291
laser irradiation, effects on human endothelial cell proliferation (Concise Communication) 334
laser therapy
acquired junctional melanocytic naevi 80
telangiectasia following radiotherapy for breast cancer 77
latex allergy in health-care population in Wales 737
leg
erosive pustular dermatosis, association with compression bandaging and fungal infection 489
ulcers, causes, investigation and treatment (Topical Review) 388
leprosy, cyclooxygenase-2 expression in lepromatous and tuberculoid lesions (Concise Communication) 795
lichen myxoedematosus associated with morbid obesity (Case Report) 165
lichen planus
genital erosive, basement membrane zone (Abstract) 866
hypertrophic, keratoacanthoma developing in (Clinical Cameo) 592
with mercury allergy (Clinical Cameo) 1268
oral (Correspondence) 374
lichen sclerosus
genital, squamous cell carcinoma and circumcision (Correspondence) 1083

and penile squamous cell carcinoma 934
specific humoral immune response to extracellular matrix protein-1 (Abstract) 856
lichen striatus, facial, tacrolimus therapy (Case Report) 587
linear IgA disease
cellular origins of target antigens 945
and IgA antibodies to laminin 5 (Abstract) 857
lip, adenolipoma (Correspondence) 605
lipoid proteinosis
early erosive vesicular stage (Correspondence) 380
with molecular diagnosis (Abstract) 1293
mutations in extracellular matrix protein-1 gene and genotype–phenotype correlation (Abstract) 856
lipstick, photoprotective 763
lithium gluconate, comparison with ketoconazole in treatment of seborrhoeic dermatitis 1230
liver, sarcomatoid carcinoma, skin and pleural metastases (Correspondence) 1070
Lucilia sericata
degradation of extracellular matrix components by proteinases in debridement of non-healing wounds 14
effects of larval secretions on interaction between human dermal fibroblasts and extracellular matrix components 923
lymphocytoma of the nipple (Correspondence) 377
lymphomatoid papulosis, CD134 expression 885

maggots *see Lucilia sericata*
Malassezia, atopy patch test reactions to allergens in atopic dermatitis 479
mast cells
effects of UV radiation exposure on prevalence in human skin 300
pattern analysis of human cutaneous populations by total body surface mapping 224
melanin, protection against DNA strand breaks (Abstract) 867
melanin-concentrating hormone receptor-1, autoantibody epitope mapping in vitiligo (Abstract) 862
melanocortin-1 receptor variants, effects on suppression of antigen-induced lymphocyte proliferation by alpha-MSH (Abstract) 856
melanocytes
culture from repigmenting patches in vitiligo (Abstract) 866
detachment after skin friction in non-lesional skin in vitiligo 95
epidermal, connexin expression (Abstract) 859
melanocytic naevi
acquired junctional, laser therapy 80
comparison with photographs (Correspondence) 365
giant congenital (Case Report) 1253
melanoma
in 8-year-old Caribbean girl (Case Report) 569
adverse prognostic factors 971
analysis of Singapore Cancer Registry data 1968-97 1161
BDS Melanoma Guidelines (Correspondence) 1082
cell lines
effects of interferon-α 1115
vitronectin receptor downregulation during retinoic acid-induced apoptosis 424
diagnosis by dermoscopy, teaching to residents in dermatology 981
diagnostic accuracy 252
expression of actin-binding proteins in vascular smooth muscle in lesions 971
factors influencing local recurrence *in situ* 703
gender differences in trends in Spain 110
late recurrence (Correspondence) 372
oxidative stress in 913
melorheostosis, procollagen α1(I) mRNA expression by dermal fibroblasts (Case Report) 799
mercury allergy, lichen planus induced by (Clinical Cameo) 1268
Merkel cell tumours
expression of neuroendocrine markers and cytokeratin 20 (Correspondence) 183
somatostatin analogue scintigraphy 1135
metal allergy potential of joint prostheses (Topical Review) 1089
metastasis, cutaneous, target-like lesions (Clinical Cameo) 361
methionine sulphoxide reductase-a, in photoaged human skin (Abstract) 859
methotrexate in psoriasis 318
minocycline in atopic dermatitis, acute pigmentation due to (Correspondence) 1073
mitochondria, role in UVR-induced oxidative stress (Abstract) 865
Mongolian spots, extensive
and cutis marmorata telangiectatica congenita (Case Report) 342
in Hunter's syndrome 1173
MUC1 expression and glycosylation status in cutaneous squamous cell carcinoma (Abstract) 868
mucinous naevus with atypical features (Correspondence) 1064
mupirocin, effects on prevalence of fusidic acid-resistant *S. aureus* in atopic eczema 1010
mycetoma caused by *Scytalidium dimidiatum* (Correspondence) 174
mycophenolate mofetil as steroid-sparing agent in sarcoidosis (Concise Communication) 147
mycosis fungoides
with Hodgkin lymphoma (Case Report) 810
loss of heterozygosity on chromosome 10q (Abstract) 854
minimal residual disease 265
presentation as annular erythema (Clinical Cameo) 591
relevance of peripheral blood T-helper cytokine patterns in evaluation 709
myelodysplasia and congenital erythropoietic porphyria (Case Report) 160

naevus lipomatosus cutaneus superficialis of the scalp associated with pedunculated basal cell carcinoma (Correspondence) 1084
nails
bilateral dystrophy associated with vibrating tool use (Correspondence) 173
observer agreement in recording clinical signs and accuracy of diagnosis (Concise Communication) 558
nectin-1α expression in normal human skin and skin tumours 755
neurofibromatosis type 1
association of hyperpigmentation in café-au-lait macules with stem cell factor and hepatocyte growth factor 689
paracrine hedgehog signalling pathway in neurofibroma (Concise Communication) 337
NF-κB expression in epidermis and relationship between activation and keratinocyte growth inhibition 680
nickel, skin contamination from coin handling (Abstract) 846
nipple lymphocytoma (Correspondence) 377
NOD2 single nucleotide polymorphisms and chronic plaque psoriasis (Abstract) 861

obesity, morbid, associated with lichen myxoedematosus (Case Report) 165
octreotide combined with surgery in treatment of pretibial myxoedema (Correspondence) 825
Oilatum Plus, irritant dermatitis due to prolonged contact with (Correspondence) 171
ondansetron in renal itch 314
onychomycosis
guidelines for treatment 402
histopathological diagnosis by periodic acid-Schiff-stained nail clippings 749
Trichophyton rubrum multiple strain involvement 51
oral cavity
lichenoid reactions associated with amalgam 70
lichen planus (Correspondence) 374
orthopaedic implants, metal allergy potential (Topical Review) 1089
oxidative stress in melanoma and non-melanoma skin cancer 913

$P14^{ARF}$ dysregulation in squamous cell carcinoma (Abstract) 854
$p16^{INK4a}$ dysregulation in squamous cell carcinoma (Abstract) 854
$p21^{WAF1}$, effects of photodynamic therapy on induction in human skin (Abstract) 866
p53, effects of photodynamic therapy on phosphorylation in human skin (Abstract) 866
p75NGF receptor expression in urticaria 411
pachyonychia congenita type 2, keratin 17 mutation 452
Paget's disease, extramammary, with herpes simplex virus infection (Case Report) 1258
palm, classic Kaposi's sarcoma in a metallurgist (Correspondence) 1061
palmar–plantar hyperhidrosis, suppression by topiramate (Correspondence) 826
palmoplantar pustulosis, genetic analysis of *PSOR1* single nucleotide polymorphisms (Abstract) 853
papular mucinosis associated with morbid obesity (Case Report) 165
paracrine hedgehog signalling pathway in neurofibroma from neurofibromatosis type 1 patient (Concise Communication) 337
paraneoplastic pemphigus, topical tacrolimus in relapsing erosive stomatitis (Correspondence) 833
parathyroid hormone-related peptide expression in melanocytic cells 533
patch testing
in children (Abstract) 1291
and dermatology quality of life in contact dermatitis (Abstract) 847
effect of doxepin pre-treatment on reactions (Abstract) 847
frequency of positive reactions in atopic and non-atopic patients (Abstract) 847
with sodium lauryl sulphate, effects of skin occlusion 65
patients, impact of skin disease 989
pemphigoid, anti-p200, mimicking inflammatory epidermolysis bullosa acquisita (Correspondence) 1058
pemphigoid gestationis
role of T cells and cytokines in pathogenesis 1141
serodiagnosis and differentiation from PUPP (Abstract) 857
pemphigus foliaceus
with dermatomyositis (Correspondence) 838
S. aureus glycocalyx production in skin lesions 526
pemphigus vulgaris
regulation of autoantibody binding to desmoglein 3 (Abstract) 857
rituximab therapy (Correspondence) 601
treatment with protein A immunoadsorption 1222
penis
squamous cell carcinoma and lichen sclerosus 934
ulceration due to *Absidia corymbifera* (Correspondence) 1286
pentoxifylline in rosacea (Abstract) 860
peripheral demyelinating polyneuropathy and hypersensitivity to azathioprine (Correspondence) 1076
phakomatosis pigmentokeratotica associated with hypophosphataemic vitamin D-resistant rickets (Correspondence) 1075
phakomatosis pigmentovascularis
type 2b, with patent umbilical vein and inferior vena cava hypoplasia (Correspondence) 836
type 5 (Case Report) 342
photoageing and methionine sulphoxide reductase-a (Abstract) 859
photodynamic therapy
actinic keratosis, histological changes and apoptosis following 122
antimicrobial 229

basal cell carcinoma, kinetics of superficial perfusion and temperature 1179
comparison with topical 5-fluorouracil in Bowen's disease 539
effects on p53 phosphorylation and $p21^{WAF1}$ induction in human skin (Abstract) 866
role of histamine in immediate inflammatory response (Abstract) 855
sebaceous hyperplasia (Correspondence) 1274
skin inflammatory response to (Abstract) 868
wavelength-dependent killing of human skin tumour cells (Abstract) 857
photoprotective lipstick 763
photosensitivity
clopidogrel bisulphate-induced lichenoid eruption (Correspondence) 608
flutamide-induced (Correspondence) 602
phototherapy
effects of UVB treatment on adhesion molecule expression by circulating T cells in psoriasis 996
ultraviolet A1 (Topical Review) 626
pigmented lesions
dermoscopically equivocal, digital follow-up (Correspondence) 1272
diagnosis by dermoscopy 698
plasmapheresis, double-filtration, in bullous pemphigoid (Case Report) 573
play dough, contact urticaria due to (Abstract) 1292
pneumosinus dilitans, ipsilateral, associated with port-wine stain (Correspondence) 1287
POEMS syndrome with Castleman's disease and glomeruloid haemangioma (Correspondence) 1276
polyarteritis nodosa, cutaneous, with atrophie blanche (Concise Communication) 789
porcine placental extracts, wound healing effects in thermal injury 236
port-wine stain associated with ipsilateral pneumosinus dilitans (Correspondence) 1287
post-herpetic neuralgia and local immune responses and systemic cytokine responses in zoster (Abstract) 864
pretibial myxoedema, combined surgical and octreotide treatment (Correspondence) 825
printing industry, prevention of dermatitis (Abstract) 619
procollagen α1(I), mRNA expression by dermal fibroblasts in melorheostosis (Case Report) 799
Propionobacteria acnes
antibiotic-resistant in acne (Correspondence) 365
biofilm (Correspondence) 366
protein A immunoadsorption in severe pemphigus 1222
pruritic urticarial papules and plaques of pregnancy (PUPP), differentiation from pemphigoid gestationis (Abstract) 857
pruritus
associated with atopic dermatitis, effect of fexofenadine and topical corticosteroid 1212
in haemodialysed patient, granisetron treatment (Correspondence) 376
pseudolymphoma syndrome, anticonvulsant-induced 730
pseudopelade of Brocq, clinicopathological entities (Correspondence) 1271
PSOR1, genetic analysis of single nucleotide polymorphisms in guttate psoriasis and palmoplantar pustulosis (Abstract) 853
psoriasis
candidate genes 418
chronic plaque
claudin expression (Abstract) 868
comparison of calcitriol and calcipotriol 326
and *NOD2* single nucleotide polymorphisms (Abstract) 861
remission produced by alefacept therapy (Concise Communication) 784
Toll-like receptor expression 670
comparison of calcipotriol and methotrexate with methotrexate and vehicle 318
comparison of calcitriol and dithranol with narrow-band UVB 779
comparison of narrowband UVB and PUVA 1194
dysregulation of caspase-1 recruitment domain proteins (Abstract) 852
effects of UVB treatment on adhesion molecule expression by circulating T cells 996
effect of TNF-α on epidermal Langerhans cell migration (Abstract) 853
fumarate therapy and downregulation of type 1 cytokines 444
guttate, genetic analysis of *PSOR1* single nucleotide polymorphisms (Abstract) 853
HLA associations 233
quality of life 1153
reasons for (Clinical Cameo) 169
scalp, efficacy of betamethasone valerate mousse 134
and vascular endothelial growth factor (Abstract) 852
Woronoff ring in (Clinical Cameo) 170
pulmonary tuberculosis presenting as erythroderma (Case Report) 346
PUPP *see* pruritic urticarial papules and plaques of pregnancy
PUVA, comparison with narrowband UVB in psoriasis 1194
pyoderma gangrenosum, peristomal, infliximab therapy (Case Report) 813
pyogenic granuloma within unilateral dermatomal superficial telangiectasia (Correspondence) 823
pyogenic lymphoma of the skin (Case Report) 580

quality of life
measurements 193
in psoriasis 1153
quercetin, potential use in treatment and/or prevention of keloids 544
quick patch test, detection of immediate-type reaction to epitope of β-lactam antibiotics (Correspondence) 182

radiotherapy for breast cancer, laser therapy of telangiectasia following 77

recessive dystrophic epidermolysis bullosa
gene expression profile of chronic wounds (Abstract) 848
with squamous cell carcinoma (Abstract) 848, (Case Report) 1047
relapsing erosive stomatitis in paraneoplastic pemphigus, topical tacrolimus (Correspondence) 833
renal itch, ondansetron therapy 314
Restylane *see* hyaluronic acid
retinoic acid, effect on drug metabolising gene expression in human skin (Abstract) 861
retinoic acid receptor α, transient over-expression in cell-line cos-1 (Abstract) 851
rickets, hypophosphataemic vitamin D-resistant, association with phakomatosis pigmentokeratotica (Correspondence) 1075
ringworm of the scalp in south-east London 985
rituximab in pemphigus vulgaris (Correspondence) 601
rofecoxib in chronic idiopathic urticaria (Correspondence) 603
rosacea, pentoxifylline treatment (Abstract) 860
Rosai–Dorfman disease, remission with thalidomide treatment (Correspondence) 1060

salazosulfapyridine, infectious mononucleosis-like syndrome induced by, slow acetylator genotype as risk factor (Case Report) 1035
salicylic acid chemical peeling, effect on skin tumour development in hairless mice 906
sarcoidosis, mycophenolate mofetil as steroid-sparing agent (Concise Communication) 147
sarcomatoid carcinoma of the liver, skin and pleural metastases (Correspondence) 1070
scalp
biopsy evaluation in non-cicatricial alopecia 272
erosive pustular dermatosis (Correspondence) 593
naevus lipomatosus cutaneus superficialis associated with pedunculated basal cell carcinoma (Correspondence) 1084
psoriasis, efficacy of betamethasone valerate mousse 134
ringworm in south-east London 985
Schnitzler's syndrome, thalidomide therapy (Correspondence) 600
schwannoma, multiple unilateral (Case Report) 804
scleroderma, localized, diagnosis by 13-megahertz ultrasound probe 724
sclerosing mucinous blue naevus (Case Report) 1250
scrotum, idiopathic calcinosis, role of dartoic muscle degeneration in pathogenesis (Correspondence) 827
Scytalidium dimidiatum, mycetoma caused by (Correspondence) 174
sebaceous hyperplasia, photodynamic therapy (Correspondence) 1274
seborrhoeic dermatitis
comparison of lithium gluconate with ketoconazole 1230
tacrolimus ointment (Concise Communication) 1242
seborrhoeic keratosis, carcinoma with eccrine differentiation arising in (Correspondence) 831
selenium
effects of organic and inorganic forms on Langerhans cell numbers and immune function (Abstract) 863
effects on UV radiation-induced DNA damage in human keratinocytes 1001
protection of keratinocytes from UVR-induced lipid peroxidation and cell death by oxidative stress (Abstract) 864
self-reported skin morbidity in adult urban population (Abstract) 619
Sézary syndrome
abnormal Stat5 expression (Abstract) 854
loss of heterozygosity on chromosome 10q (Abstract) 854
relevance of peripheral blood T-helper cytokine patterns in evaluation 709
shiitake dermatitis (Correspondence) 178
Singapore Cancer Registry data analysis 1968-97 1161
SKH-1 mice, effect of selective cyclooxygenase-2 inhibition on wound healing 211
skin cancer
non-melanoma
mitochondrial DNA damage in (Abstract) 853
oxidative stress in 913
reducing mortality (Correspondence) 606
skin disease
impact on patients 989
self-reported in adult urban population (Abstract) 619
skin sensitization
equivalence (Abstract) 846
non-radioisotopic measurement of lymphocyte proliferation in response to (Abstract) 846
slow acetylator genotype as risk factor in salazosulfapyridine-induced infectious mononucleosis-like syndrome (Case Report) 1035
sodium lauryl sulphate, effects of skin occlusion on patch testing 65
somatostatin analogue scintigraphy, Merkel cell tumours 1135
sparganosis, subcutaneous (Correspondence) 369
SPINK5 gene polymorphism associated with atopic dermatitis 665
squamous cell carcinoma
analysis of Singapore Cancer Registry data 1968-97 1161
dysregulation of $p16^{INK4a}$ and $P14^{ARF}$ tumour suppressor genes (Abstract) 854
genital lichen sclerosus and circumcision (Correspondence) 1083
lamin expression 102
migration and proteolysis in cell culture model (Abstract) 858
MUC1 expression and glycosylation status (Abstract) 868
mutational analysis of *CDKN2A* genes 638
and non-bullous congenital ichthyosiform erythroderma (Correspondence) 367
penile, and lichen sclerosus 934
with recessive dystrophic epidermolysis bullosa (Abstract) 848, (Case Report) 1047

staphylococcal scalded skin syndrome, adult (Correspondence) 1068
staphylococci, effects on cytokine production from human keratinocytes 46
Staphylococcus aureus
fusidic acid-resistant
effects of topical fusidic acid or mupirocin on prevalence in atopic eczema 1010
levels in dermatology patients 1018
glycocalyx production in skin lesions in pemphigus foliaceus, atopic dermatitis and bullous impetigo 526
stem cell factor expression in urticaria 411
stratum corneum, role in penetration and tissue levels of water-soluble drugs 434
systemic lupus erythematosus
childhood onset with complement deficiency (Abstract) 1292
topical tacrolimus treatment of malar rash (Case Report) 353

tacrolimus
in amyopathic dermatomyositis (Correspondence) 595
in cutaneous lupus erythematosus (Correspondence) 829
effect on antigenic T-cell proliferation (Abstract) 863
in facial lichen striatus (Case Report) 587
in relapsing erosive stomatitis in paraneoplastic pemphigus (Correspondence) 833
in seborrhoeic dermatitis (Concise Communication) 1242
treatment of malar rash in systemic lupus erythematosus (Case Report) 353
T-cell lymphoma
blastic NK cell and extranodal NK cell-like 507
cutaneous, chromosomal abnormalities and clinical disease 55
cutaneous CD4+ CD8-, T-cell clone isolation 24
cutaneous CD56+ (Editorial) 385
erythrodermic syringotropic cutaneous (Case Report) 349
granulomatous adnexotropic cutaneous (Correspondence) 363
subcutaneous panniculitis-like 516
T cells
CD4+CD25+, and resolution of cutaneous antigen-specific inflammation (Abstract) 863
CD25+, effect on antigenic T-cell proliferation (Abstract) 863
effect of tacrolimus and CD25+ regulatory T cells on antigenic proliferation (Abstract) 863
role in pathogenesis of pemphigoid gestationis 1141
telangiectasia
following radiotherapy for breast cancer, laser therapy 77
unilateral dermatomal superficial, pyogenic granuloma within (Correspondence) 823
terbinafine, subacute lupus erythematosus-like eruption due to (Clinical Cameo) 1056
terminology (Correspondence) 1278, (Correspondence) 1279
TGM1 gene homozygous mutation 371delA leading to classic lamellar ichthyosis phenotype (Case Report) 149
thalidomide
in cutaneous Rosai–Dorfman disease (Correspondence) 1060
in Schnitzler's syndrome (Correspondence) 600
T-helper cells in peripheral blood, relevance of cytokine patterns in evaluation of Sézary syndrome and mycosis fungoides 709
thermal injury, wound healing effects of porcine placental extracts 236
tight junction proteins, genetic and immunohistochemical investigation in normal and hyperproliferative skin (Abstract) 860
Toll-like receptor (TLR) expression in keratinocytes and chronic plaque psoriasis 670
tongue, lymphatic malformation, in-column electrocoagulation (Correspondence) 1279
topiramate, suppression of primary palmar–plantar hyperhidrosis (Correspondence) 826
total body surface mapping, pattern analysis of human cutaneous mast cell populations 224
trichilemmal tumour associated with HPV21 in epidermodysplasia verruciformis (Correspondence) 180
trichofolliculoma (Correspondence) 596
Trichophyton rubrum, multiple strain involvement in onychomycosis 51
trichothiodystrophy, hair protein structure spectroscopic analysis (Correspondence) 599
Trychophyton schoenleinii, favus due to (Clinical Cameo) 1057
tumour necrosis factor-α, effect on epidermal Langerhans cell migration in psoriasis (Abstract) 853

ultrasound, diagnosis of localized scleroderma by 13-megahertz ultrasound probe 724
ultraviolet radiometer calibration (Abstract) 865
urticaria
chronic idiopathic, rofecoxib therapy (Correspondence) 603
clinical and aetiological aspects 501
contact, due to play dough (Abstract) 1292
due to recombinant interferon β-1a (Correspondence) 172
generalized acute, and bupropion (Correspondence) 177
stem cell factor and p75NGF receptor expression 411
UV radiation
comparison of narrowband UVB and PUVA in psoriasis 1194
and direct generation of mDNA common deletion in cultured skin cells (Abstract) 865
distribution of fibrillin-1 and fibrillin-rich microfibrils in murine skin chronically exposed to low-dose UVB (Abstract) 864
effects of exposure on prevalence of mast cells in human skin 300

effects on human epidermal Langerhans cells 291
effects of selenium compounds on DNA damage in human keratinocytes induced by 1001
effects of UVB treatment on adhesion molecule expression by circulating T cells in psoriasis 996
oxidative stress induced by, role of mitochondria (Abstract) 865
UVA1 phototherapy (Topical Review) 626
UVB-induced apoptosis, effects of alpha-MSH on (Abstract) 855

valaciclovir, single dose during prodrome of herpes facialis (Concise Communication) 142
vascular endothelial growth factor and psoriasis (Abstract) 852
versican in epidermal keratinocyte tumours 86
vibrating tool use, bilateral nail dystrophy associated (Correspondence) 173
visceral leishmaniasis and HIV infection, multiple dermatofibroma-like lesions associated (Correspondence) 185
vitiligo
autoantibody epitope mapping of melanin-concentrating hormone receptor-1 (Abstract) 862
culture of melanocytes from repigmenting patches (Abstract) 866
Dermatology Life Quality Index (Correspondence) 373
melanocyte detachment after skin friction in non-lesional skin 95
vitronectin receptor downregulation in melanoma cell line during retinoic acid-induced apoptosis 424
vulval burning (Abstract) 867
vulvodynia (Abstract) 867
innervation of vulval vestibule (Concise Communication) 1021

warts
pigmented, with fibrillar intracytoplasmic inclusion bodies (Correspondence) 187
viral, zinc sulphate treatment (Correspondence) 1082, (Correspondence) 1083
water loss through lip, nail, eyelid, scalp and axillary skin measured with closed-chamber evaporation principle (Correspondence) 839
white sponge naevus caused by keratin 4 mutation 1125
wounds
chronic, anaerobic cocci in deep tissues and healing impairment 456
effect of selective cyclooxygenase-2 inhibition on healing in SKH-1 mice 211
effects of larval secretions from *L. sericata* on interaction between human dermal fibroblasts and extracellular matrix components 923
keratinocyte sub-populations identified during re-epithelialisation (Abstract) 858
non-healing, debridement by *Lucilia sericata* 14

XRCC3 gene, assessment of variant (Abstract) 867

zinc sulphate for viral warts (Correspondence) 1082, (Correspondence) 1083
zoster, local immune responses and systemic cytokine responses, relationship to development of post-herpetic neuralgia (Abstract) 864